

Philips LCD monitor, LED backlight with SmartImage

S-line

20 (Viewable 19.5" / 49.5 cm)

# 200S4LMB



# Sustainable productivity

ergonomic LED display

The Philips ergonomic LED display using PVC, BFR free housing is ideal for eco-friendly productivity

# Sustainable Eco-design

- PVC-BFR free housing
- · Zero mercury content

## **Great performance**

- LED technology ensures natural colors
- TrueVision ensures lab quality images
- Built-in stereo speakers for multimedia

# **Designed for people**

- SmartErgoBase enables people-friendly ergonomic adjustments
- Low bezel-to-table height for maximum reading comfort

## Easy to experience

- SmartImage presets for easy optimized image settings
- SmartControl for easy performance tuning



# Highlights

#### **PVC-BFR** free housing

This Philips monitor housing is free from brominated flame retardant and polyvinyl chloride (PVC-BFR free)

#### **Zero mercury content**

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances which affects humans and animals. This allows for a eco-friendly display through out its life-cycle from manufacturing to disposal.

#### **LED** technology

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives superior color reproduction thanks to consistent brightness across the screen.

#### **TrueVision**



TrueVision On



TrueVision Off

TrueVision is a proprietary Philips technology that uses advanced algorithm for testing and aligning monitor display which gives you the ultimate display performance that is 4 times more stringent than Windows sRGB

requirements. Only Philips ensures each and every monitor that leaves the factory is fine tuned with this process so you can get consistent color and picture quality.

#### **Built-in stereo speakers**

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

#### **SmartErgoBase**

The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base's people-friendly height, swivel, tilt and rotation angle adjustments position the monitor for maximum comfort that can ease the physical strains of a long workday; cable management reduces cable clutter and keeps the workspace neat and professional.

# Low bezel-to-table height





The Philips monitor, thanks to its advanced SmartErgoBase, can be lowered down almost to desk level for a comfortable viewing angle. Low bezel-to-table height is the perfect solution if you use bifocals, trifocals or progressive lens glasses for your computing work. Additionally, it allows for users with greatly different heights to use the monitor in

their preferred angle and height settings, helping them reduce fatigue and strain.

## **SmartImage**







With

Without SmartImag

SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

# SmartControl for easy tuning

PC software for fine tuning display performance and settings. Philips offers users two choices for display setting adjustment. Either navigate the multilevel On Screen Display menu through buttons on the display itself or use the Philips SmartControl software to easily adjust the various display settings in a familiar way



















# Specifications

#### Picture/Display

- LCD panel type: TFT-LCD
- · Backlight type: W-LED system
- Panel Size: 19.5 inch / 49.5 cm
- Effective viewing area: 462 x 239.76 mm
- Aspect ratio: 16:9
- Optimum resolution: 1600 x 900 @ 60Hz
- Response time (typical): 5 ms
- Brightness: 250 cd/m<sup>2</sup>
- Contrast ratio (typical): 1,000:1
- SmartContrast: 20,000,000:1
- Pixel pitch:  $0.27 \times 0.27 \text{ mm}$
- Viewing angle: 170° (H) / 160° (V), @ C/R > 10
- · Picture enhancement: SmartImage
- Display colors: 16.7 M
- $\bullet$  Scanning Frequency: 30 -83 kHz (H) / 56 -75 Hz (V)
- sRGB

#### **Connectivity**

- Signal Input: DVI-D (digital, HDCP), VGA (Analog)
- Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): PC audio-in

# Convenience

- Built-in Speakers: 2Wx2
- User convenience: SmartImage, Volume, Menu, Power On/Off, Brightness
- Control software: SmartControl Premium
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Traditional Chinese, Turkish, Ukranian
- Other convenience: Kensington lock, VESA mount (100×100mm)
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 8/7/Vista

# **Stand**

- · Height adjustment: 110 mm
- Pivot: 90 degree
- Swivel: -65/65 degree
- Tilt: -5/20 degree

#### **Power**

- On mode: 13.01 W (typ.) (EnergyStar 6.0 test method)
- Standby mode: 0.5 W (typ.)
- Off mode: 0.5 W (typ.)
- Power LED indicator: Operation White, Standby mode- White (blinking)
- Power supply: 100-240VAC, 50-60Hz, Built-in

#### **Dimensions**

- Product with stand(max height):  $479 \times 384 \times 227 \text{ mm}$
- Product without stand (mm):  $479 \times 299 \times 48 \text{ mm}$
- Packaging in mm (WxHxD): 560 x 361 x 222 mm

## Weight

- Product with stand (kg): 4.20 kg
- Product without stand (kg): 1.87 kg
- Product with packaging (kg): 5.99 kg

# **Operating conditions**

- Temperature range (operation):  $0^{\circ}$ C to  $40^{\circ}$ C  $^{\circ}$ C
- Temperature range (storage): -20°C to 60°C °C
- Relative humidity: 20%-80 %
- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- MTBF: 30,000 hour(s)

# **Sustainability**

- Environmental and energy: EnergyStar 6.0, EPEAT Silver, RoHS
- Recyclable packaging material: 100 %
- Specific Substances: PVC / BFR free housing, Mercury free, Lead free

# Compliance and standards

 Regulatory Approvals: CE Mark, cETLus, EAC, FCC Class B, GS, GOST, SASO, SEMKO, TCO 6.0, WEEE

#### Cabinet

- Front bezel: Black
- · Rear cover: Black
- Foot: Black
- Finish: Texture



Issue date 2013-10-21

Version: 1.0.1

© 2013 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

12 NC: 8670 001 09029 EAN: 87 12581 70270 0

www.philips.com