

Model Information	
Design Image	
Brand	LG
Production Model	42LG6000
Panel Specification	
Resolution	1920 x 1080
Brightness (cd/m2)	500
Dynamic Contrast Ratio	TBD
Viewing Angle Degree	178°/178°
Colors Reproduction (R,G,B)	10Bit
Response Time(G to G)	8m/s ↓
WCC(Wide Color Control)	●
TruMotion (100Hz)	●
0-RT/ATW-pole	0-RT
- Pure Black Level	-
- True Wide View	-
Life Span (hr)	60,000
Broadcasting System	
Analog	●(PAL I', PAL/SECAM BG/DK, Secam L/L', NTSC M(AV ONLY))
Digital	
- Country to be adapted	26countries (England/Italy/Germany/France/Spain Sweden/Finland/Netherlands/ Belgium/ Luxemburg/ Greece/Denmark/Czech/ Austria /Norway/Hungary/Swiss/Croatia Bulgaria/Poland/ Potugal/Romania, Russia/ Serbia/Slovenia/Turkey)
ATSC	-
Satellite	-
DVB-T	●(CI Type)
-MPEG-4 AVC(H.264) Decoder	-
DVB-S	-
DVB-C	-
CI Slot	
- MHP	-
- MHEG	●(UK Only)
Video	
Aspect Ratio	16:9
Color Temperature Control	●(Cool/Medium/Warm)
24p Real Cinema (24p 5:5 Pull down)	●
Film Mode (3:2 / 2:2 Pull down)	-
Booster ON/OFF (Digital)	●
Aspect Ratio Correction	● (16:9/Just scan/Original/4:3/14:9/Zoom1/Zoom2)
Just Scan (0% overscan) - when "Just Scan Mode" selected.	● (HDMI/Component : 1080i / 1080p / 720p
Picture Status Mode (8modes)	●(Intelligent Sensor/Vivid/Standard/Cinema/Sport/Game /Expert 1/Expert 2)
AV Mode (Cinema/Game/Sport)	●
Expert Mode/ ISF Ready	●
DTV Signal Strength (Digital)	●
Audio	
Audio Output	10W+10W
Speaker System	2 Way 4 Speakers
Dolby Digital Decoder	●

Clear Voice	●
Sound Mode	●5 modes (Standard/Music/Cinema/Sport/Game)
Surround System	SRS TruSurround XT
DVR	
DVR Type (Digital / Analog)	-
HDD Size	-
Recording Time (HD)	-
Recording Time (SD)	-
Watch & Recording	-
Record Signal of External A/V Device	-
Record Signal of Time shifting	-
Pause & Rewind Live Broadcast	-
Slow Motion Rewind and Forward	-
One touch Record	-
Series Record	-
Freeview Record	-
Freeview Record	-
Dump	-
USB (2.0)	-
System Upgrade	●
Back up	-
File Type	JPEG,MP3
Special	
Intelligent Sensor	●
EPG(SI)	●(8 Days)
1080P Source Input	HDMI 60p/50p/30p/24p Component 60p/50p
AV Input Navigation	●
Input Labeling	●(DVD/VCR/PC/Set Top Box/Satellite/Game)
SIMPLINK (HDMI-CEC)	●
Quick View	●
Parental Control	●
Child Lock	●
Sub Title	●
Auto Demo (100Hz-TruMotion Demo)	●
Teletext	
Pages	1000p
TOP(Table Of Page) / Flof / List	●/●/●
EZ OSD (Menu System)	●
Language	22 (English/Germany/Denmark/Spain/France/Italy/ Greece/Netherlands/Norway/Sweden/Finland/ Portugal/Hungary/Poland/Rumania/Croatia/ Slovenia/Czech/Serbia/Bulgaria/Russia/Turky)
Alvin UI	●
Quick Menu (8 menus selectable)	Aspect Ratio/Backlight /Clear voice Picture mode/Sound mode/Audio Sleep Timer/USB eject
Picture In Picture	
PIP	-
Channel	
Auto Programming	●
Channel Add/Del (PROGRAMME ADD/DEL/COPY)	●
Channel Labels	●
Favorite Channel	●
Time/Clock	
Manual Clock	●
On/ Off Time	●
Sleep Timer	●
Auto Off (When No Video Is Present For x Minutes) / Auto Sleep	●
Side	

Headphone Out	-
AV In	-
S-Video In	-
RGB In (D-sub 15pin)	-
PC Audio Input	-
HDMI In	● (HDMI ver 1.3 + Deep color)
USB (2.0)	●
CI Slot	●
Rear	
RF In	1
AV In	1
AV Out	-
S-Video In	-
Full Scart	1(TV out)
Half Scart	1(MNT/DTV Out)
Component in (Y,Pb,Pr) + Audio	1(480i/480p/576i/576p/720p/1080i/1080p) - 1080p : 60p/50p
Digital Audio Out (Coaxial/ Optical)	1(Optical)
Variable Audio Out (Amp 3W)	-
HDMI/HDCP Input	Ver. 1.3 3(480p/576p/720p/1080i/1080p) - 1 Port PC Mode
RGB In (D-sub 15pin) - PC	1
PC Audio Input	1
RS-232C (Control / SVC)	1(For Service & Control)
USB (SVC)	-
CI Slot	-
Cabinet Description	
Tool name (varification tool)	LG60
Front Cabinet Style	Glossy (Black)
Rear Cabinet Style	Glossy (Red)
Speaker	Invisible Speaker
Cabinet Piece	2
Stand Style / Color / Glare	Round/Black/Glare
Swivel (angle)	●
Tilt (°)	-
RoHS	●
UL Standard	●
Local Key Type	Tact
Power Indicator (Moving LED)	●
Soft touch (Power)	●
Accessory	
Wall-mounting Bracket Model Name	TBD
VESA Compatible	●
Remote	E-con (DTV)
-Part number	TBD
-Image	
Power	
Voltage, Hz	100Vac~240Vac, 50Hz/60Hz
Consumption (Typical)	265W
Stand-by	1W ↓
Dimension	
Weight (Kg) 1) SET (w/o stand)	20.4kg
2) Included stand	24.1kg
3) Packing	TBD
WxHxD (mm) 1) SET (w/o stand)	1037.8x747x80.8
2) Included stand	1037.8 x796.4 x379.5
3) Packing	TBD