

Xerox® Phaser® 6600 and
Xerox® WorkCentre™ 6605

A4
Colour Printer and
Multifunction Printer



Phaser 6600 Printer and
WorkCentre 6605
Multifunction Printer
Grow your business with
easy office efficiency.



Xerox® Phaser® 6600 Colour Printer and Xerox® WorkCentre™ 6605 Colour Multifunction Printer

The value of enhancing your company's image is immeasurable. And with the value-packed Phaser 6600 Colour Printer and WorkCentre 6605 Colour Multifunction Printer, today's busy work groups can easily make important business communications stand out from the competition with exceptional colour printing.

Colour That Gets Your Work Noticed

No matter what business you're in, the Phaser 6600 and WorkCentre 6605 give your image an essential, colourful advantage.

- **Prints that sell your business.** A print resolution of up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality) makes your printed communications stand out and grab attention.
- **Enhanced output.** Photo Mode makes your images and graphics look exceptional, producing deeper, richer colours for lifelike vibrancy.
- **Unique Xerox EA Toner.** Fuses at a much lower temperature, and reduces power consumption by up to 20% and CO₂ emissions by up to 35%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary or recycled paper.
- **Always the right colour.** Pantone® Colour calibrated solid-colour simulations and Xerox colour correction technology ensure results that match your expectations.
- **Consistent precision.** True Adobe® PostScript® 3™ ensures your print jobs are consistently accurate, with the brightest, truest colours and superior graphics.

High-power Capabilities

The Phaser 6600 and WorkCentre 6605 deliver a host of capabilities and powerful options made affordable for small workteams.

- **Reduce your paper usage.** Automatic two-sided printing on the DN configurations makes saving paper easy, and gives your documents a professional appearance. Plus, N-up printing lets you output multiple pages on one sheet, which is particularly useful when printing presentations.
- **Wireless freedom.** Place the Phaser 6600 and WorkCentre 6605 anywhere in the office with optional Wi-Fi.
- **Less to replace.** High-capacity toner cartridges allow longer periods of uninterrupted productivity, and help you reduce your total cost of operation over time.
- **Consolidate and save.** The value packed WorkCentre 6605 saves energy and supplies costs by combining the functions of a copier, printer, scanner and fax – all in one device.
- **Stay secure.** Keep your sensitive documents away from unintended recipients with available secure print¹, and protect access to device features with front-panel PIN code authentication.
- **Total peace of mind.** Reliability is backed by our standard one-year on-site warranty.

Productivity Simplified


The Phaser 6600 and WorkCentre 6605 support fast-paced workteams with time-saving productivity advantages and features designed for total simplicity.

- **Print and go.** The Phaser 6600 and WorkCentre 6605 work quickly, with colour and black and white print speeds of up to 35 ppm.
- **Load paper less often.** The main 550-sheet paper tray holds a full ream of paper – no more half-empty packages taking up valuable storage space. An optional second tray increases total capacity up to 1,250 sheets for even longer periods of uninterrupted productivity.
- **Simple as can be.** The innovative and tilting 4.3-inch touch screen on the WorkCentre 6605 features bright, colourful icons and intuitive navigation for optimal ease-of-use.
- **Digitise your workflows.** Use the WorkCentre 6605 to scan your hard copy documents and get text-searchable digital files that can be automatically shared via email or network folder, or saved on the device or any USB memory device for true portability.
- **Easy startup and everyday operation.** You'll be up and running in minutes, and with Xerox® CentreWare® IS, remote device administration is handled with ease right from any networked computer's browser.
- **Go mobile.** Print directly from Apple iOS-based devices with support for Apple AirPrint².

¹ Standard on WorkCentre 6605. Phaser 6600 requires either optional 512 MB Memory or Productivity Kit (with 160 GB Hard Drive).

² Requires minimum of Firmware 201301301313 for Phaser 6600 and minimum of Firmware 201301301321 for WorkCentre 6605.

One device, multiple functions. The Xerox® WorkCentre™ 6605 Colour Multifunction Printer builds on the outstanding print performance offered by the Xerox® Phaser® 6600, delivering a host of powerful productivity tools designed to make your daily office tasks more efficient than ever.



- 1** The WorkCentre 6605 includes a 4.3-inch touch screen with easily understood instructions and Help Screens to streamline walkup operations.
- 2** A 50-sheet Duplex Automatic Document Feeder scans two-sided originals for copy, scan and fax jobs.
- 3** A front-side USB port allows users to quickly print from or scan to any standard USB memory device.
- 4** Powerful electronic workflows include scan to email and network scanning, plus LAN Fax for fast, efficient network faxing from your PC or Mac.
- 5** 250-sheet output tray with tray-full sensor.
- 6** 150-sheet Multipurpose Tray handles media sizes from 76.2 x 127 mm to 216 x 356 mm.
- 7** With the 550-sheet paper tray, standard paper capacity for the WorkCentre 6605 totals 700 sheets.
- 8** Optional 550-sheet paper tray increase total paper capacity to 1,250 sheets.
- 9** Optional stand provides storage for toner cartridges, paper and other supplies.

Phaser® 6600 Quick Facts



- Print up to 35 ppm colour and black and white
- First-page-out time as fast as 9 seconds black and white, 10 seconds colour
- Optional Wi-Fi connectivity
- Standard automatic two-sided printing (6600DN configuration)
- Standard 550-sheet paper capacity (expandable to 1,100 sheets)

Phaser 6600
WxDxH:
 430 x 488 x 384 mm
Weight:
 25.5 kg



WorkCentre™ 6605 Quick Facts

- All features of the Phaser 6600 plus:
- Workflow-enhancing scanning capabilities
 - Full range of copy features
 - LAN Fax and walkup fax functionality
 - 4.3-inch colour touch screen user interface
 - 50-sheet Duplex Automatic Document Feeder

WorkCentre 6605
WxDxH:
 430 x 528 x 560 mm
Weight:
 32.5 kg



	Phaser 6600N	Phaser 6600DN	WorkCentre 6605N	WorkCentre 6605DN
Speed	Up to 35 ppm A4, colour and black and white			
Duty Cycle	Up to 80,000 pages / month ¹			
Paper Handling	Standard		Duplex Automatic Document Feeder (DADF): 50 sheets: Custom sizes: 140 x 140 mm to 216 x 356 mm	
Paper input	N/A			
	Multipurpose Tray: 150 sheets; Custom sizes: 76.2 x 127 mm to 216 x 356 mm			
	Tray 1: 550 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm			
	Optional		Tray 2: 550 sheets; Custom sizes: 148 x 210 mm to 216 x 356 mm	
Paper output	Standard 250 sheets face down with tray full sensor			
Automatic two-sided output	N/A	Standard	N/A	Standard
Print First-page-out-time	As fast as 9 seconds black and white / 10 seconds colour			
Print Resolution (max)	Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)			
Processor	533 MHz			
Memory (std / max)	256 MB / 768 MB		512 MB / 1 GB	
Connectivity	USB 2.0, 10/100/1000Base-TX Ethernet, optional Wi-Fi (802.11 n/g/b)			
Page description languages	True Adobe® PostScript® 3™, PCL5/6, XPS, PDF Emulation			
Print features	PANTONE® Colour calibrated solid-colour simulations, Saved settings, Earth Smart settings, Colour Corrections, N-up, Booklet layout, Watermark, Photo mode, Collation, Secure Print ² , Saved Print ² , Font/Form/Macro Storage ³ , Apple AirPrint ⁴			
Copy First-page-out-time	NA		As fast as 13 seconds black and white / 16 seconds colour	
Copy features			Up to 600 x 600 dpi, Reduce/Enlarge (25% -400%), Lighter/Darker, Colour Saturation, Sharpness, Colour Balance, Auto Exposure, Up to 99 copies, 2-up Output, AutoFit, Cloning, Collate (up to 50 pages)	
Fax ⁵ Walk-Up Fax features	NA		MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forward to Email and FTP/SMB Server ⁴ , Fax Forwarding and Local Print, Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive	
LAN Fax Features			Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (Up to 500 speed dial numbers, Up to 500 group dial, Phonebook stored on PC)	
Scan Scan destinations	NA		TWAIN/WIA scanning via USB or Network, Scan to Computer via SMB, Scan to Server via FTP, Scan to Email with LDAP support, Scan to USB Memory Device, WSD Scanning	
Scan features			JPEG/TIFF/Multipage TIFF/PDF File Formats, Email Address Book (up to 100 Email addresses, up to 10 Email group addresses), Express Scan Manager, Scan to PC Desktop® SE Small Business Edition (1-seat license)	
Security	Secure Fax Receive (WorkCentre 6605 only), Secure Print ² , 256-bit disk encryption and overwrite ³ , Secure HTTPS (SSL, Secure LDAP ³), IPsec, 802.1X Authentication, IPv6, SNMPv3, Audit Log, IP Filtering, Scan to Email over SSL/TLS (WorkCentre 6605 only) ⁴			
Warranty	One-year on-site warranty ⁶			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Standard on 6605, 6600 requires either optional 512 MB Memory or Productivity Kit; ³ Requires Productivity Kit (with 160 GB Hard Drive); ⁴ Requires minimum of Firmware 201301301313 for Phaser 6600 and minimum of Firmware 201301301321 for WorkCentre 6605; ⁵ Requires analogue phone line; ⁶ Products purchased under a PagePack agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

Device Management

CentreWare® Internet Services, CentreWare Web, Email alerts, Apple® Bonjour

Print Drivers

Windows® XP and later, OS® X 10.5 and later, various Linux® and Unix distributions, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Media Handling

Duplex Automatic Document Feeder (6605): Simplex: 50 – 125 gsm; Duplex: 60 – 125 gsm; Bypass Tray, Tray 1, Tray 2: 60 – 216 gsm; Media types: Plain, hole punched, letterhead, coloured, lightweight card stock, lightweight glossy card stock, heavyweight card stock, heavyweight glossy card stock, labels, Envelopes

Operating Environment

Temperature: Storage: 0° to 40° C; Operating: 10° to 32° C; Humidity: Operating: 10% to 85%; Sound power levels: 6600: Printing: 6.9 B, Standby: 4.5 B; 6605: Printing/copying: 6.8 B, Standby: 4.4 B; Sound pressure levels: 6600: Printing: 53 dB(A), Standby: 29 dB(A); 6605: Printing/copying: 52 dB(A), Standby: 29 dB(A); Warm-up time (from sleep mode) 6600: as fast as 21 seconds, 6605: as fast as 25 seconds

Electrical

Power: 220-240 VAC, 50/60 Hz, 5A; Power consumption: 6600: Standby: 64 W, Printing: 520 W, Sleep: 4 W; 6605: Standby: 72 W, Printing: 560 W, Sleep: 5.9 W; Energy Star qualified (DN Configuration)

Supplies

Standard-Capacity Print Cartridge*:
 Black: 3,000 std. pages 106R02248
 Cyan: 2,000 std. pages 106R02245
 Magenta: 2,000 std. pages 106R02246
 Yellow: 2,000 std. pages 106R02247
 High-Capacity Print Cartridge*:
 Black: 8,000 std. pages 106R02232
 Cyan: 6,000 std. pages 106R02229
 Magenta: 6,000 std. pages 106R02230
 Yellow: 6,000 std. pages 106R02231

Routine Maintenance Items

Imaging Unit Kit : Up to 60,000 pages** 108R01121
 Waste Cartridge : Up to 30,000 pages** 108R01124
 Fuser Assembly: Up to 100,000 pages** 115R00076
 Transfer Unit Kit: Up to 100,000 pages** 108R01122

Options

550-Sheet Tray 097S04400
 Stand 497K13660
 512 MB memory 097S04269
 Productivity Kit (160 GB HD) 097S04403
 Wireless Networking Adaptor 097S04409

* Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

** Approximate pages. Declared yield based on an average job size of three A4 pages. Yield will vary depending on job run length and media size and orientation.



(DN Configuration)

For more information visit us at www.xerox.com/office



©2013 Xerox Corporation. All rights reserved. XEROX®, XEROX and Design®, CentreWare®, Phaser® and WorkCentre™ are trademarks of Xerox Corporation in the United States and/or other countries. Adobe® and PostScript® 3™ are registered trademarks or trademarks of Adobe Systems, Incorporated. PCL® is a registered trademark of Hewlett-Packard. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN Configuration). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. Updated 09/13 BR2826 660BR-01EC