

6 ft DisplayPort Video Extension Cable - M/F

Product ID: DPEXT6L



The DPEXT6L 6-foot, DisplayPort Video Extension Cable supports 21.6 Gbps bandwidth, giving a full 4K x 2K (3840 x 2400 at 60Hz) resolution and 3D Stereo display (2560 x 1600 at 120Hz). This DP1.2 cable also provides additional features such as High Bit Rate 2 (HBR2), 8 Audio Channels, Multi-Stream Transport (MST) for connecting multiple displays and Global Time Code (GTC) for sub-micro video/audio sync.

This DisplayPort v1.2 Video Extension Cable adds an extra 6ft to any DisplayPort cable. The extension cable features latching connectors with gold-plated pins for superior conductivity and is backed by our Lifetime Warranty.

## **Certifications, Reports and Compatibility**

## **Applications**

• Extend your DisplayPort interface by 6ft

## **Features**

- Supports the DPCP (DisplayPort Content Protection) standard in addition to HDCP
- Aluminum-Mylar Foil with Braided Shielding
- Molded latching connectors with strain relief

Hardware

Warranty Lifetime



Number of Conductors 20

Connector Plating Nickel

Cable Jacket Material PVC - Polyvinyl Chloride

Cable Shield Material Aluminum-Mylar Foil with Braid

Fire Rating CMG Rated (General Purpose)

Connector(s)

Connector A DisplayPort (20 pin)

Connector B DisplayPort (20 pin)

**Environmental** 

Operating Temperature -20C to 80C (-4F to 158F)

Storage Temperature -25C to 85C (-13F to 185F)

Humidity 40%-70%RH

Physical Characteristics

Color Black

Wire Gauge 28 AWG

Cable Length 6.0 ft [1.8 m]

Product Length 6.0 ft [1.8 m]

Product Width 0.8 in [20.9 mm]

Product Height 0.5 in [12.6 mm]

Weight of Product 3.2 oz [91.0 g]

Packaging Information

Package Length 8.7 in [22.0 cm]

Package Width 0.8 in [20.0 mm]

Package Height 7.9 in [20.0 cm]

Shipping (Package)

Weight

3.4 oz [96.0 g]



## What's in the Box

Included in Package

6 ft DisplayPort Video Extension Cable - M/F

\*Product appearance and specifications are subject to change without notice.