

USB to DVI External Dual or Multi Monitor Video Adapter

Product ID: USB2DVIE2



The USB2DVIE2 USB DVI Multi Monitor External Video Adapter turns an available USB 2.0 port into an external video card DVI port - providing high quality dual-display or multi-monitor capability that can be used in a variety of laptop or desktop applications to increase your productivity.

The device also offers the option of running up to five additional displays simultaneously (using five USB2DVIE2 Multi Monitor External Video Cards). Each connected adapter can be used to further extend the desktop or mirror the image shown on the existing display - all without having to open the computer case to install an additional video card.

Application Diagram

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- Add a secondary display adapter and extend your desktop display without taking apart your computer to install a new video card
- Add multiple (up to five) monitors / projectors to your computer setup using one USB2DVIE2 device for each additional display
- View large or multiple spreadsheets across multiple displays
- A compact, lightweight solution for traveling business associates using laptop PCs enabling connection to a secondary display
- Connect multiple monitors to a single computer to create engaging multimedia presentations



- Use the adapter to connect your PC to your television for showing family pictures and movies
- Increase productivity by running multiple applications on different screens, check your email on one display and work on a document in the other
- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Features

- Includes easy to use software that allows for screen rotation, multi-display management and EDID monitor detection for increased compatibility with displays
- No power adapter required, easy installation
- Optimal performance at 1440x900 (higher resolutions supported) and ideal for use with 17" to 19" monitors or smaller
- · Works with desktop and laptop computers
- Supports the use of DVI to VGA or DVI to HDMI adapters

Hardware		
	Warranty	2 Years
	AV Input	USB 2.0
	AV Output	DVI
	USB Pass-Through	No
	Memory	16MB
	Chipset ID	Trigger - Trigger 1+

Performance

Supported Resolutions Widescreen(16/32 bit):

1680x1050, 1440x900, 1280x800, 1280x768

Standard(16/32 bit):

1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864, 1024x768,

800x600

General Specifications This USB video adapter uses a Trigger family chipset. If you're

connecting this device to a computer along with additional USB video

adapters or docking stations, please avoid using devices with a



DisplayLink or Fresco family chipset.

Connector(s)

Connector A USB Type-A (4 pin) USB 2.0

Connector B DVI-I (29 pin)

Software

OS Compatibility Windows 10 (32/64)

Windows 8 / 8.1 (32/64)

Windows 7(32/64)

Windows Vista (32/64)

Windows XP (32/64)

Special Notes / Requirements

System and Cable

Requirements

System Processor: 1.2GHz

System Memory: 512MB

Note This USB video adapter uses a Trigger family chipset. If you're

connecting this device to a computer along with additional USB video adapters or docking stations, avoid using devices with different family

chipsets, such as DisplayLink or Fresco Logic

Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system

resources

This USB video adapter is not intended for graphical intensive

applications, such as gaming

Physical Characteristics

Color Black

Product Length 3.6 in [91 mm]

Product Width 2.1 in [53 mm]

Product Height 0.7 in [18 mm]

Weight of Product 3.8 oz [108 g]

Packaging Information

Package Length 8.3 in [21 cm]



Package Width 5.7 in [14.5 cm]

Package Height 1.6 in [40 mm]

Shipping (Package) Weight

9.3 oz [263 g]

What's in the Box

> Included in Package Driver and Software CD

> > USB to DVI Adapter

Instruction Manual

^{*}Product appearance and specifications are subject to change without notice.