

# Universal USB 3.0 Laptop Docking Station w/ Dual DVI Video - HDMI® & VGA Adapters, 2x USB Fast Charge Ports, USB 3.0, GbE

StarTech ID: USB3SDOCKDD



The USB3SDOCKDD USB 3.0 Laptop Docking Station delivers display flexibility, faster device charging, and desktop convenience to your home or office workstation. From just a single connection point, the docking station instantly adds two DVI ports plus HDMI® and VGA adapters, a USB 3.0 hub with two quick-charge ports, Gigabit Ethernet, and a 3.55mm headset jack to your USB 3.0-equipped laptop, for hassle-free docking.

# **Display Flexibility**

Discover multi-monitor freedom! Boost your productivity and add dual monitors to your workstation with one of the only docking stations to offer dual DVI video ports with support for resolutions up to 1920x1200.

For extra display flexibility we've included two DVI video adapters, letting you avoid the frustration and costs of purchasing additional products just to fit the displays you already use. Leave the stress of interface limitations at the door by adapting to the most popular monitor types right out of the box. No hassle, no headaches.

# **Device Charging**

Charge your mobile devices faster, with or without a host connected to the dock. USB charging is convenient, fast, and accessible through two front "always on" USB fast-charge ports with downstream throughput and support for USB Battery Charging Specification 1.2.

You can easily charge other devices while connected to multiple displays, a Gigabit network, and numerous USB peripherals through the integrated 5-port USB 3.0 controller. Perfect for external USB 3.0 hard drives, the docking station supports UASP-enhanced performance for faster data transfer rates, which means less waiting and more productivity.

### **Desktop Convenience**

Save time and get more work done! With a single connection to a single laptop (e.g. MacBook Pro®, MacBook Air®, Lenovo® ThinkPad®, HP® or Dell® Ultrabook™) your required peripherals remain connected. Overcome your laptop port limitations and reduce the hassle of constantly reconnecting devices, to create an organized and full-sized workstation with less clutter that's great for "hot desking".



Plus, for a clean and customized workspace you can position the docking station in horizontal orientation, or upright (tower), using the included optional stand.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

#### Applications

- Connect multiple monitors in a variety of flexible display combinations right out-of-the-box: DVI + DVI, DVI + HDMI, DVI + VGA, HDMI + DVI, HDMI + VGA
- Create a shared workspace or hot desk with an integrated charging station for guests, customers, and colleagues
- Connect a wide variety of peripherals at home / office to a laptop, all from a single USB 3.0 connection
- Neatly set up in mixed environments with upright or vertically positioning through an included optional stand
- Perfect for use with your Macbook or Ultrabook, with aesthetically matching silver sand blast housing

#### Features

- Dual monitor support with dual DVI output plus DVI to HDMI® and DVI to VGA adapters included
- Two front fast-charge USB 3.0 ports able to charge devices without a host connection
- Brushed aluminum finish with vertical or horizontal dock orientation
- 5x USB 3.0 ports with UASP support (2x front ports with USB Battery Charging Specification 1.2., 3x rear ports)
- Front panel 3.5mm 4-Position TRRS Headset port Audio/Microphone
- Gigabit Ethernet RJ-45 Port with Wake-on-LAN (WOL)
- Includes 1m flexible and ultra-thin USB 3.0 host cable, stand with screws / screwdriver, and 4x rubber feet
- Charging station with more USB 3.0 ports than most docking stations (5 total)
- Front panel Power LED



Hard-to-find made easy\*

#### **Technical Specifications**

Warranty	2 Years	
Bus Type	USB 3.0	
Industry Standards	IEEE 802.3, 802.3u and 802.3ab USB Battery Charging Specification Rev. 1.2 USB 3.0 - Hub ports support USB 2.0/1.1 backward-compatibility	
Chipset ID	DisplayLink - DL-3900 (Display, LAN, Audio) Genesys Logic - GL3520 (USB 3.0 w/ Charge)	
Connector Type(s)	1 - DVI-D (25 pin) Female	
Connector Type(s)	1 - DVH (29 pin) Female	
Connector Type(s)	5 - USB 3.0 A (9 pin; SuperSpeed) Female	
Connector Type(s)	1 - USB 3.0 B (9 pin; SuperSpeed) Female	
Connector Type(s)	1 - RJ-45 Female	
Connector Type(s)	1 - 3.5 mm Mini-Jack (4 Position) Female	
Maximum Data	5 Gbps (USB 3.0)	
Transfer Rate	2 Gbps (Ethernet; Full-Duplex)	
Maximum Analog Resolutions	1920x1200 (VGA)	
Maximum Digital Resolutions	1920x1200 (Dual-Link DVI/HDMI)	
Type and Rate	USB 3.0 - 5 Gbit/s	
Compatible Networks	10/100/1000 Mbps	
Auto MDIX	Yes	
Full Duplex Support	Yes	
OS Compatibility	Windows® 8 / 8.1 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64) Windows Server® 2012, 2008 R2, 2003 Mac OS 10.6 and up (Tested up to 10.9)	
System and Cable Requirements	USB 3.0 port interface and USB 3.0 cable to connect the Laptop Docking Station to a host	
	computer (USB 3.0 host cable included)	
Note	computer (USB 3.0 host cable included) HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port	
•		
Note Color	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port	
Note	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port Black & Silver	
Note Color Enclosure Type	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port Black & Silver Aluminum and Plastic	
Note Color Enclosure Type Cable Length	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m]	
Note Color Enclosure Type Cable Length Product Length	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m] 3.1 in [80 mm]	
Note Color Enclosure Type Cable Length Product Length Product Width	HDMI and VGA adapters included VGA adapter can only be used on the DVH (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m] 3.1 in [80 mm] 0.9 in [24 mm]	
Note Color Enclosure Type Cable Length Product Length Product Width Product Height	HDMI and VGA adapters included VGA adapter can only be used on the DVI-I (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m] 3.1 in [80 mm] 0.9 in [24 mm] 7.1 in [180 mm]	
Note Color Enclosure Type Cable Length Product Length Product Width Product Height Product Weight	HDMI and VGA adapters included VGA adapter can only be used on the DVH (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m] 3.1 in [80 mm] 0.9 in [24 mm] 7.1 in [180 mm] 15.9 oz [450 g]	
Note Color Enclosure Type Cable Length Product Length Product Width Product Height Product Weight LED Indicators	HDMI and VGA adapters included VGA adapter can only be used on the DVH (29-pin) port Black & Silver Aluminum and Plastic 3.3 ft [1 m] 3.1 in [80 mm] 0.9 in [24 mm] 7.1 in [180 mm] 15.9 oz [450 g] 1 - 1 - Power	

# StarTechcom

Hard-to-find made easy\*

Spec Sheet

Output Voltage	5 DC
Output Current	4.0 A
Center Tip Polarity	Positive
Plug Type	Μ
Operating Temperature	0°C to 50°C (32°F to 122°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Humidity	5~85% RH
Shipping (Package) Weight	19.8 oz [560 g]
Included in Package	1 - USB 3.0 Laptop Docking Station
Included in Package	1 - 1m USB 3.0 Cable
Included in Package	4 - Rubber Feet
Included in Package	1 - Stand
Included in Package	2 - Stand Screws
Included in Package	1 - Screwdriver
Included in Package	1 - DVI to VGA Adapter
Included in Package	1 - DVI to HDMI Adapter
Included in Package	1 - Universal Power Adapter (NA/UK/EU)
Included in Package	1 - Driver CD
Included in Package	1 - Instruction Manual



#### Certifications, Reports and Compatibility













Spec Sheet