

# Data Sheet FUJITSU Notebook LIFEBOOK E756

## Uncompromising Elegant Design and Functionality

As a member of the FUJITSU Notebook LIFEBOOK E7 Series, the LIFEBOOK E756 is the right choice if you need a stylish notebook with high value features to support you in your daily work. With its 39.6 cm (15.6-inch) display, light weight of only 1.9 kg (4.2 lbs), extensive set of interfaces and high-end security features this modular notebook offers you full convenience and flexibility.

#### **Family Concept**

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E736 and LIFEBOOK E746
- Port replicator compatible with previous model and shared across 8 devices in LIFEBOOK notebook,
   2 in 1 and mobile workstation.



Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users

- Modular bay for 2nd battery, 2nd HDD, DVD Super Multi, Blu-ray Disc™ Triple Writer, Weight Saver for convenient and flexible working
- Integrated fingerprint sensor, SmartCard reader and latest TPM for protection of company data
- Full set of interfaces with VGA, Display Port shared for HDMI and optional embedded 4G/LTE

### High-end Design

Outstanding mobility, ease of use and sleek looks for highest business demands

 Especially slim from 20 mm, weighing only 1.9 kg, high-value material of magnesium lid, aluminum palm rest and strong metal hinges









Page 1 / 8 www.fujitsu.com/fts/mobile

# Components

Base unit	LIFEBOOK E756 non-vPro
Operating systems	
Operating system	Windows 10 Pro Windows 10 Home Windows 7 Professional 64-bit
Operating system compatible	Windows 8.1 Pro Windows 8.1 Windows 7 Professional 32-bit
Processor	Intel® Core™ i7-6600U processor (2.6 GHz, up to 3.4 GHz, 4 MB)
	Intel® Core™ i7-6500U processor (2.5 GHz, up to 3.1 GHz, 4 MB) *
	Intel® Core™ i5-6300U processor (2.4 GHz, up to 3.0 GHz, 3 MB)
	Intel® Core™ i5-6200U processor (2.3 GHz, up to 2.8 GHz, 3 MB) *
	Intel® Core™ i3-6100U processor (2.3 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM
,	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.
	SSD SATA III, 512 GB, 2.5-inch, OPAL capable
	SSD SATA III, 256 GB, 2.5-inch, OPAL capable
	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 7,200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
u II I e	
Modular bay options	2nd battery
	2nd hard disk drive
	Blu-ray Disc™ Triple Writer  DVD Super Multi
	Weight saver
	Weight Saver
nterface add on cards/components (optional)	
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.1
Display	39.6 cm (15.6-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,200 cd/m²
	39.6 cm (15.6-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,300 cd/m²
Multimedia	
Camera	Optional: Built-in webcam, Full HD (2,073 megapixel) (Microsoft® Lync™)

# Base unit

Page 2 / 8 www.fujitsu.com/fts/mobile

Base unit  Clipset Integrated Supported capacity RAM (max.) 32 GB  Memory slots 2 DIMM (DDR4)  Memory notes DDR4 - 2133 MHz  LAN Built-in 10/100/1,000 MBit/s Intel® 1219V  BIOS features InsydeH20 Bios  Audio type On board  Audio codec Realtek ALC255  Audio features Stereo speakers  Display  Display notes ISO 9241-307 - Pixel class II
ChipsetIntegratedSupported capacity RAM (max.)32 GBMemory slots2 DIMM (DDR4)Memory notesDDR4 - 2133 MHzLANBuilt-in 10/100/1,000 MBit/s Intel® I219VBIOS featuresInsydeH20 BiosAudio typeOn boardAudio codecRealtek ALC255Audio featuresStereo speakersDisplayDisplay notesISO 9241-307 - Pixel class II
Supported capacity RAM (max.) 32 GB  Memory slots 2 DIMM (DDR4)  Memory notes DDR4 - 2133 MHz  LAN Built-in 10/100/1,000 MBit/s Intel® I219V  BIOS features InsydeH20 Bios  Audio type On board  Audio codec Realtek ALC255  Audio features Stereo speakers  Display  Display notes ISO 9241-307 - Pixel class II
Memory slots 2 DIMM (DDR4)  Memory notes DDR4 - 2133 MHz  LAN Built-in 10/100/1,000 MBit/s Intel® I219V  BIOS features InsydeH20 Bios  Audio type On board  Audio codec Realtek ALC255  Audio features Stereo speakers  Display  Display notes ISO 9241-307 - Pixel class II
Memory notes  DDR4 - 2133 MHz  LAN  Built-in 10/100/1,000 MBit/s Intel® I219V  BIOS features  InsydeH20 Bios  Audio type  On board  Audio codec  Realtek ALC255  Audio features  Stereo speakers  Display  Display notes  ISO 9241-307 - Pixel class II
LAN Built-in 10/100/1,000 MBit/s Intel® I219V BIOS features InsydeH20 Bios Audio type On board Audio codec Realtek ALC255 Audio features Stereo speakers  Display Display notes ISO 9241-307 - Pixel class II
BIOS features InsydeH20 Bios Audio type On board Audio codec Realtek ALC255 Audio features Stereo speakers  Display Display notes ISO 9241-307 - Pixel class II
Audio type On board Audio codec Realtek ALC255 Audio features Stereo speakers  Display Display notes ISO 9241-307 - Pixel class II
Audio codec Realtek ALC255 Audio features Stereo speakers  Display Display notes ISO 9241-307 - Pixel class II
Audio features Stereo speakers  Display Display notes ISO 9241-307 - Pixel class II
Display Display notes  ISO 9241-307 - Pixel class II
<b>Display notes</b> ISO 9241-307 - Pixel class II
HD: Viewing angle: L/R 40°, T 10°, B 30°, Color Gammut: 45% FHD IPS: Viewing angle: L/R/T/B: 85°; Color Gammut: 60%
Graphics
Base unit LIFEBOOK E756 non-vPro
<b>TFT resolution (DisplayPort)</b> up to 4,096 × 2,160
<b>TFT resolution (VGA)</b> up to 1,920 x 1,200
<b>TFT resolution (DVI on Port Replicator)</b> up to 1,920 x 1,200
Graphics brand name Intel® HD Graphics 520
Graphics features 3 Display Support (2 external, 1 internal)
<b>Graphics notes</b> Shared memory depending on main memory size and operating system
Interfaces
DC-in 1
Audio: line-out / headphone 1
Audio: line-in / microphone 1
Internal microphones 2x digital microphones (array)
USB 2.0 total 1
USB 3.0 total 3 (1 with Anytime USB Charge functionality)
<b>VGA</b> 1
DisplayPort 1
HDMI 1 shared with DP
Ethernet (RJ-45) 1
Memory card slots 1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)
SmartCard slot 1 (optional)
SIM card slot 1 (only for models with integrated 3G/UMTS or 4G/LTE module)
Port Replicator interfaces (optional)
<b>DC-in</b> 1 (19V)
Power on switch 1
Audio: headphone 1
Audio: microphone 1
USB 3.0 total 4
<b>DisplayPort</b> 2 - 1 DP (next to DVI) is shared with DVI, works when DVI not connected
<b>VGA</b> 1
<b>DVI</b> 1 - shared with DP (next to DVI) - works when DP (next to DVI) not connected
<b>Ethernet (RJ-45)</b> 1 (10/100/1000)
Kensington Lock support 1 (Portrep & System)
eSATA 1
Notes Port replicator supports 0-Watts functionality

Page 3 / 8 www.fujitsu.com/fts/mobile

Keyboard and pointing devices	
	Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolation keyboard#Spill-resistant standard keyboard w/o touchstick
	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad (93mmx55mm) with 2 integrated mouse buttons
	Application buttons Status LED
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional
Bluetooth	v4.1
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
WiDi support	Yes (with Intel W-LAN)
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
•	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator
1st battery options	Li-lon battery 6-cell, 5,600/5,800 mAh, 63 Wh
ist battery options	Li-lon battery 6-cell, 6,400/6,700 mAh, 72 Wh
	Li-Ion battery 6-cell, 7,100 mAh, 77 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2,600, mAh, 28 Wh
Runtime 1st battery	up to 14h
•	-
Runtime 1st + 2nd battery	up to 19 h
Battery charging time	~150 min (63Wh) ~ 180 min (72Wh) ~210 min (77Wh) tbc
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Noise emission	
Noise emission	Please refer to the Eco Declaration
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	374 x 250 x 20 (f) - 27 (r) mm
Veight	From 1.9 kg (4.2 lb) (tbc)
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	20 - 80 %
Compliance with standards	
Germany	GS planned (Full HD Display only)
Europe	CE CB
Global	ROHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.0 EPEAT® Gold (dedicated regions) (planned)
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.

Page 4 / 8 www.fujitsu.com/fts/mobile

**Additional Software** 

Additional Software	
Additional software (preinstalled)  Additional software (optional)	Adobe® Reader® (pdf reader) Win7 or Win 8.1 only McAfee Internet Security and Antivirus Software (60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win10 and Win 8.1: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery) Drivers & Utilities DVD (DUDVD)
	Recovery DVD for Windows® Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software)
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/business-technology/manageability/feature-finder.html
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Computrace® ready BIOS Advanced Theft Protection (Computrace® only) Optional: Trusted platform module (TPM 1.2 or 2.0) EraseDisk (optional)
User Security	Access protection via internal SmartCard reader (optional) SystemLock BIOS SmartCard security Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)
Warranty Warranty period	2 years (depending on country)
Warranty type	Z years (depending on country)  Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending
Warranty Terms & Conditions	on local regulations)  http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life

Page 5 / 8 www.fujitsu.com/fts/mobile

# Recommended Accessories

Port Replicator for LIFEBOOK (U745, T725, E7X6, E7X4, E7X3, E5X6, E5X4) and CELSIUS H730



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1337-L100

**USB Port Replicator PR7.1** 



The FUJITSU USB Port Replicator PR7.1 is the perfect solution for shared desktop (BYOD) environments. It connects your mobile system to your main peripherals with a single USB 3.0 plug. This Port Replicator generates additional DVI or HDMI digital video performance, enabling your system to run up to three screens independently at your workplace.

Order Code: S26391-F6007-L310

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the \$26391-F1314-L500 job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:

MicroSaver Slim



The Fujitsu Kensington MicroSaver slim features the patented T-Bar locking mechanism with carbon tempered steel core cable and an external braided steel sheath. The MicroSaver slim is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Order Code: S26361-F1650-L200

Prestige Case Midi 16



The Prestige Case Midi 16 protects notebooks with up to 16-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. It features nylon pockets so you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code: S26391-F1192-L60

Second Hard Disk Drive or SSD Carrier for Modular Bay



Modern business generates more and more data everyday so you may find Order Code: yourself needing some extra storage space for critical data. Extend your storage with this 2nd HDD or SSD option by simply sliding this carrier into the modular bay slot on your Fujitsu LIFEBOOK. Choose the storage capacity to suit your needs and order separately from the list of options.

S26391-F1244-L700

Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology. and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

Page 6 / 8 www.fujitsu.com/fts/mobile

### UC&C USB Headset Stereo H650e



The UC&C USB Headset Stereo H650e is the ultimate in style and functionality. Long, uncomfortable work calls are a thing of the past thanks to the cushioned ear pads and crystal clear sound. Adjustable headband and microphone provides the perfect fit for everyone. Optimized for Microsoft® Lync™ the headset displays a red 'in-call' LED to let your co-workers know when you're available, thus helping to boost office productivity.

Order Code: S26391-F7139-L10

#### Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

S26381-K565-L4\*\* (\*\*: Country specific variation)

## More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK E756, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Notebook LIFEBOOK E756, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2015 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2015-10-28 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2015 Fujitsu Technology Solutions GmbH