

H183X

HD ready home entertainment projector

- HD ready 3200 ANSI Lumens
- Exceptional colour accuracy Rec709
- Easy connectivity HDMI, VGA, 2W speaker
- Lightweight and portable



















H183X

Bright, portable and lightweight the HD ready H183X is your perfect home entertainment projector for watching TV shows, sports and movies or playing action-packed games on a huge screen.

Using an enhanced colour wheel, this projector is capable of providing you with exceptional colour accuracy for true to life colour reproduction on all your movies, TV shows and games.

Easy to setup and use with a built-in speaker and HDMI input. Perfect for connecting a laptop, PC, Blu-ray player, media streamer or games console. You can even take it round to a friend's house for a sports event, movie night or games marathon with the optional carry bag (sold separately).

Amazing colours

For vibrant, natural looking images, Optoma projectors incorporate BrilliantColor™ multi-colour processing technology.





Eco+



Eco+ technology brings together high contrast, improved lamp life and energy saving features that are easy to use while reducing power consumption.

24p

Most movies are shot at 24 frames per second (fps). To preserve the purity of the original image, Optoma projectors can accept high definition sources at 24 fps to display movies exactly as the director intended

Quick resume

This feature allows the projector to be instantly powered on again, if it is accidentally switched off.

Energy saving

Using the specially designed lamp modes, you can reduce the power consumption by up to 70%. Each mode also has a positive effect on the lamp life, while lowering the total cost of ownership and reducing maintenance.

High contrast

Add more depth to your image with a high contrast projector; with brighter whites and ultra-rich blacks, images come alive and text appears crisp and clear - ideal for business and education applications.





Full 3D

Optoma projectors can display true 3D content from almost any 3D source, including 3D Blu-ray players, 3D broadcasting and the latest generation games consoles. Support for 144Hz rapid refresh rate provides ultra-smooth flicker free images.

Integrated speaker

The built-in speaker offers excellent audio support. Easy to set up without the need for costly external speakers

Auto power off

There may be instances when the projector is left running when not in use. To help save energy, the "Auto Power Off" feature automatically turns off the projector after a set period of time if it is not being used

Long lamp life

The expected lifetime of a typical Optoma projector lamp is an impressive 6500 hours; so if you watch a two hour movie every day, the lamp should last for almost 9 years.

Colour guarantee

Enjoy dazzling colours for years to come; guaranteed by Optoma for five years' consistent performance.





Wireless

Stream Full 1080p 3D content to your projector wirelessly; eliminating the hassle and extra cost of installing long cables, the WHD200 (sold separately) allows you to connect a Blu-ray™ player, set-top box, gaming console or AV receiver instantly.

Gaming mode

Gaming mode optimises your projector for lightning response times, maximum contrast and vivid colours to capture every detail - leaving you time to focus on winning.

H183X Specification

with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Display Technology	Single 0.65" WXGA DC3 DMD chip DLP® Technology by Texas Instruments
Contrast 25,000:1	Native Resolution	WXGA 1280 x 800
Noise Level (Eco mode) Weight (kg) Z.17 I/O Connectors HDMI (1.4 a 3D support), VGA (YPbPr/RGB), Composite, Audio in 3.5mm, Audio Out 3.5mm, RS232, USB service Computer Compatibility FHD, HD, WXGA, UXGA, XXGA, XXGA, XYGA, VGA, Mac Yideo Compatibility PAL (B, D, G, H, M, M, A.43MHz), NTSC (M, J. 3.58MHz, 4.443MHz), SECAM (B, D, G, K, K1, L, 4.25,MHz, 4.4MHz, 480 576/lp, 720p(50/60Hz), 1080)(50/60Hz) 1080p(24/50/60Hz) Displayable Colours F72,5-2.67; F=21.86-24mm Throw Ratio 1.55 − 1.73: Throw Ratio 1.55 − 1.73: Throw Ratio 1.55 − 1.73: 2.00	Brightness ¹ (Bright Mode)	3200 ANSI Lumens
Weight (kg)	Contrast	25,000:1
HDMI (1.4a 3D support), VGA (YPbPr/RGB), Composite, Audio In 3.5mm, Audio Out 3.5mm, RS232, USB service Computer Compatibility FHD, HD, WXGA, UXGA, SXGA, XGA, XGA, XGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 4.43MHz), NTSC (M, J, 3.58MHz, 4.443MHz), SECAM (B, D, G, K, K1, L, 4.25,MHz, 4.4MHz, 480 576l/p. 720p(50/60Hz), 1080l(50/60Hz) 1080p(24/50/60Hz) Displayable Colours F70jection Lens F72.5-2.67; 1=21.86-24mm Throw Ratio 1.55 − 1.73:1 Projection Screen Size 0.68 = 8.04m (26.87" to 316.5") Diagonal 16:10 Projection Distance 1 − 12m Zoom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 24 + 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5° C - 40° C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Side-by-Side-108016 / 60, 720p50 / 60 Frames-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Noise Level (Eco mode)	29dB
Computer Compatibility F.H.D., H.D., WXGA, LXGA, SXGA, XGA, SVGA, VGA, Mac Video Compatibility PAL. (B, D, G, H, 1, M, N, 4.43MHz), NTSC (M, J, 3.58MHz, 4.443MHz), SECAM (B, D, G, K, K1, L, 4.25,MHz, 4.4MHz, 486 4576lp, 7.20p(50/60/60/bz) 1080p(24/50/60/bz) Displayable Colours 1073.4 Million Projection Lens Fi2.52~26.71-Fe21.88-24mm Throw Ratio 1.55 − 1.73:1 Projection Screen Size 0.68 − 8.04m (26.87" to 316.5") Diagonal 16:10 Projection Distance 1 − 12m Zoom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 15.3 − 91.1kHz Vertical Scan Rate 15.3 − 91.1kHz Vertical Scan Rate 15.3 − 91.1kHz Vertical Scan Rate 16.10 Native, 16.94/3 Compatible Offset 115% Horizontal Scan Rate 15.3 − 91.1kHz Vertical Scan Rate 16.40 Native, 16.94/3 Compatible Offset 115% Jamp Life² Ecor/Dynamic/Eco/Bright 800077000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 9	Weight (kg)	2.17
Video Compatibility	I/O Connectors	HDMI (1.4a 3D support), VGA (YPbPr/RGB), Composite, Audio In 3.5mm, Audio Out 3.5mm, RS232, USB service
576/p, 720p(50/60Hz), 1080l(50/60Hz) 1080p(24/50/60Hz)	Computer Compatibility	
Projection Lens F/2.5~2.67; [=21.86~24mm Throw Ratio 1.55 − 1.73:1 Throw Ratio 1.55 − 1.73:1 Projection Screen Size 0.68 + 8.04m (26.87" to 316.5") Diagonal 16:10 Projection Distance 1 − 12m Zoom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 15.3 − 91.1kHz Vertical Scan Rate 24 + 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories DLP® Link™ 3D glasses, wireless, ceiling mount ROHS Compliant SD Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3t games from the Sony® PS3 or Microsoft® Nbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080160 / 60, 720p50 / 60	Video Compatibility	
Throw Ratio 1.55 – 1.73:1 Projection Screen Size 0.68 – 8.04m (26.87" to 316.5") Diagonal 16:10 Projection Distance 1 – 12m Zoom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40" Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby)	Displayable Colours	1073.4 Million
Projection Screen Size 0.68 − 8.04m (26.87" to 316.5") Diagonal 16:10 Projection Distance 1 − 12m Zoom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction 4 40" Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Supply 100-240V, 50-60Hz Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems	Projection Lens	F/2.5~2.67; f=21.86~24mm
Projection Distance I − 12m Zom Type 1.1x Manual Aspect Ratio Offset 115% Horizontal Scan Rate Vertical Scan Rate Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount Compliant Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3I games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. Side-by-Side:1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Throw Ratio	1.55 – 1.73:1
Zom Type 1.1x Manual Aspect Ratio 16:10 Native, 16:9/4:3 Compatible Offset 115% Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby)	Projection Screen Size	0.68 – 8.04m (26.87" to 316.5") Diagonal 16:10
Aspect Ratio Offset 115% 115% Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security		1 – 12m
Offset 115% Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby)	Zoom Type	1.1x Manual
Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount ROHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3I games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080f50 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Aspect Ratio	16:10 Native, 16:9/4:3 Compatible
Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 30 games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Offset	115%
Lamp Type 195W Lamp Life² Eco+/Dynamic/Eco/Bright 8000/7000/6000/5000 (hrs) Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3I games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60	Horizontal Scan Rate	15.3 - 91.1kHz
Lamp Life ² Eco+/Dynamic/Eco/Bright Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3f games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Vertical Scan Rate	24 - 85Hz (120Hz for 3D)
Keystone Correction ± 40° Vertical Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security W Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3f games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080is0/ 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Lamp Type	195W
Dimensions (W x D x H) (mm) 298 x 230 x 96.5 Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 30 games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Lamp Life ² Eco+/Dynamic/Eco/Bright	8000/7000/6000/5000 (hrs)
Power Supply 100-240V, 50-60Hz Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount ROHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3f games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Keystone Correction	± 40° Vertical
Power Consumption 225W Bright mode / 187W Eco mode (< 0.5W Standby) Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Dimensions (W x D x H) (mm)	298 x 230 x 96.5
Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Uniformity 75% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include to with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Power Supply	100-240V, 50-60Hz
Uniformity 75% Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Power Consumption	225W Bright mode / 187W Eco mode (< 0.5W Standby)
Security Security Security bar, Kensington lock, password protection Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Operating Conditions	5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m
Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual DtP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Uniformity	1.77
Optional Accessories DLP® Link™ 3D glasses, wireless, ceiling mount Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Security	Security bar, Kensington lock, password protection
RoHS Compliant 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3f games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	Standard Accessories	
3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications included with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60		DLP® Link™ 3D glasses, wireless, ceiling mount
with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	RoHS	Compliant
Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60	3D Support	Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.
Speaker (Watts) 2	3D Compatibility	Frame-pack: 1080p24, 720p50 / 60
	Speaker (Watts)	2
Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Fars Vietnamese, Romanian, Indonesian		26 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Vietnamese, Romanian, Indonesian
Optional Wireless Yes	Optional Wireless	Yes



Optoma Europe Ltd. 42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime.

 2 Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions

24/03/2016 13:18