

Overview

Strike first. Take first.

Are you ready for true competition? The OMEN X by HP 25 Display was designed specifically for esports, with specs that give you an almost unfair advantage. A lightning-fast 240Hz refresh rate[1] and a 1ms response time[1] mean your grind to the top just got a whole lot easier.



When you're fast, you're first

Critical moments call for critical details. With a whopping 240Hz refresh rate[1], this 24.5" diagonal display is 4x faster than traditional 60Hz monitors. And a 1ms response time[1] lets you respond to on-screen action before your opponent knows what hit them.



Designed for action

Comfort is optimized with an adjustable display that adapts to your ideal height and angle, plus ambient lighting that reduces eye strain. And with its micro-edge bezel, everything on-screen feels expansive and immersive.

Stutter no more

Display stutter and input lag hold nothing over you. NVIDIA® G-SYNC™ technology synchronizes the display refresh rates to the graphics card in your GeForce GTX-powered PC, to deliver fluid, sharp gameplay.

Features

NVIDIA® G-SYNC

By synchronizing the refresh rates of your GPU and display, NVIDIA G-SYNC™ technology delivers gameplay that's sharp, fluid, and stutter-free with minimal input lag.



Height adjustment stand

Gas piston design allows 130mm of smooth, precise height adjustment so your display is always in the most comfortable position, no matter who is viewing it.



Micro-edge display

With virtually no bezel encircling the display, an ultrawide viewing experience provides for seamless multimonitor set-ups.



1ms response time with Overdrive

How fast your pixels can react to changing frames is critical for fast-paced gaming, and a 1ms response time ensures even the most action-packed moments are fluid, crisp, and free of motion blur.^[2]



Ambient lighting

Say goodbye to late-night eye fatigue. Adjustable to match the color of your PC or what's on screen, ambient lighting casts a glow onto the base and stand diffusing the bright light of the display.

Visibly brilliant detail

With 400 nits of brightness, view beautiful details, enhanced image quality, and distinct shades of color—even in bright lighting conditions.^[2]

[1] All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

[2] All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Specifications

Display size (diagonal)	24.5"	
Display type	TN with LED backlight	
Aspect ratio	16:9 ^[1]	
Resolution (native)	FHD (1920 x 1080 @ 60 Hz) (The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz and include 1 DisplayPort $^{\text{TM}}$ or 1 HDMI output to drive the monitor at the preferred resolution.)	
Resolutions supported	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 480; 800 x 600	
Pixel pitch	0.283 mm	
Brightness	400 cd/m ^{2[1]}	
Contrast ratio	1000:1 static ^[1]	
View angle	160° vertical; 170° horizontal	
Response time	3 ms on/off; 1 ms (with overdrive) ^[1]	
Minimum dimensions (W x D x H)	55.75 x 33.06 x 9.87 cm	
Minimum dimensions (W x D x H)	21.95 x 13.02 x 3.89 in	
Dimensions With Stand (W x D x H)	55.75 x 27.25 x 48.96 cm	
Weight	6.26 kg (With stand.)	
Weight	13.80 lb (With stand.)	
Display features	Anti-glare; Language selection; NVIDIA G-SYNC™; On-screen controls; Plug and Play; User controls; User programmable	
Display Input Type	1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support)	
Onscreen controls	Color control; Exit; Gaming; Image control; Information; Input control; Management; Menu; Power	
Display scan frequency (vertical)	Up to 240 Hz	
Tilt and swivel angle	Tilt: -5 to +23°	
Ports	3 USB 3.0 (1 upstream, 2 downstream, power delivery up to 4.5 W)	
Power	Input voltage 100 to 240 VAC	
Power consumption	65 W (maximum), 35 W (typical), 0.5 W (standby)	
Environmental	Arsenic-free display glass; Low halogen; Mercury-free display backlights	
Certifications and compliances	Australian-New Zealand MEPS; BSMI; CB; CCC; CE; CECP; CSA; EAC; FCC; ICES; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV-S; UL; VCCI; Vietnam MEPS; WEEE; ISC; Low blue light	
Physical security	Security lock-ready ^[3]	
What's in the box	AC power cord; DisplayPort™ cable; USB cable ^[4]	

Additional specifications

Country of origin	Made in China
Display area (imperial)	21.4 x 11.91 in
Display area (metric)	54.37 x 30.26 cm
Display height	300 mm
Product brand name	НР
Product dimensions with stand (W \times D \times H)	21.95 x 10.73 x 19.28 in
Product long name specifications	OMEN X 25 240Hz Gaming Display; FHD (1920 x 1080)
VESA mount	VESA mount compatible

^[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

^[3] Lock is sold separately.

^[4] DisplayPort[™] cable: Not in APJ - except Australia/New Zealand.

Accessories

Apparel

Tops

OMEN by HP Mask Long Sleeve Tee	5RW38AA
OMEN by HP Dynamo Short Sleeve Tee	5RW23AA
OMEN by HP Quadrant Short Sleeve Tee	5RW80AA
OMEN by HP Ascendant Full Zip Hoodie	5RV85AA
OMEN by HP Ascendant Full Zip Hoodie	5RV96AA
OMEN by HP Courier Short Sleeve Tee	5RW05AA
OMEN by HP Voodoo Pullover Hoodie	5RW97AA
OMEN by HP Offset Short Sleeve Tee	5RW67AA
OMEN by HP Voodoo Pullover Hoodie	5RX08AA
OMEN by HP Meridian Long Sleeve Tee	5RW52AA

Disclaimer — Copyright

DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Sep 04, 2019 2:35 PM UTC+0000