WorkForce Pro WF-6590DWF



Streamline document capturing and distribution, increase productivity, reduce intervention, printing costs and environmental impact with this scalable and versatile business multifunction. With advanced 4-in-1 copy, scan, fax and colour duplex printing features, the WF-6590DWF promises fast scan speeds and a first page out time of just seven seconds¹.

Environmentally-conscious

With up to 80% lower energy consumption than competitive colour lasers², the WF-6590DWF cuts your environmental impact. Relying on clean technology, it produces no fan noise when not printing, no heat and no ozone gas.

Low running costs

With an up to 50% lower cost per page and a lower total cost of ownership compared to competitive colour laser printers³, the WF-6590DWF will save businesses money. Duplex printing and copying also saves paper.

Less intervention and high reliability

Using Epson's XXL ink cartridges, you can print up to 10,000 pages in black and 7,000 pages in colour, which is equal to or better than colour laser equivalents⁴. The maximum paper capacity of 1,581 pages means less time spent refilling.

Fast printing and scanning

With a colour first page out time of just seven seconds¹, the WF-6590DWF is perfect for printing small print jobs quickly. Fast scan speeds and one-pass scanning make jobs even more efficient.

Advanced document management

IT departments can take full control, customising it to automate job profiles and workflow processes using Document CapturePro and ProServer software⁵ and connecting to most document management systems.

DATASHEET



KEY FEATURES

Save energy

Up to 80% lower energy consumption than competitive colour lasers $^{2} \ensuremath{\mathsf{2}}$

- XXL ink cartridges Print up to 10,000 black & 7,000 colour pages⁴
- Fast printing

Print a colour page in just 7 seconds • Save money

Up to 50% lower cost per page than competitive colour laser printers

Smart control

Print & scan from mobile devices with NFC connectivity⁶



PRODUCT SPECIFICATIONS

ECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Ainimum Droplet Size	3.7 pl, With Variable-Sized Droplet Technology
nk Technology	DURABrite™ Pro
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Category All-in-One Functions	Small Workgroup Print, Scan, Copy, Fax
	· · · · · · · · · · · · · · · · · · ·
	Managhrama 7 Saganda, Calar 7 Saganda
First Page Out Printing Speed ISO/IEC 24734	Monochrome 7 Seconds, Color 7 Seconds 24 Pages/min Monochrome, 24 Pages/min Color
Maximum Printing Speed	34 Pages/min Color (plain paper), 34 Pages/min Monochrome (plain paper)
Duplex Printing Speed	16 A4 Pages/min Monochrome, 16 A4 Pages/min Color
SO/IEC 24734	
Printing Resolution	4,800 x 1,200 dpi
Max Duty cycle	65,000 Pages per month
Colours	Black, Cyan, Yellow, Magenta
or detailed information on pr	inting speeds please visit http://www.epson.eu/testing.
SCAN	
Scanning Resolution	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Optical Resolution (ADF)	1,200 dpi x 2,400 dpi (Horizontal x Vertical)
Advanced document ntegration	E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device / Card
Dutput formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)
Single-sided scan speed (A4	
black)	
	300 dpi (with ADF); , 23 ipm with ADF scan 200 dpi (flatbed) 7 sec. with flatbed scan
olour)	
AX	
ype of fax	Walk-up black and white and colour fax capability
ax speed dials (max)	200 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
ax Functions ax Transmission Speed	PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
CONNECTIVITY	
nterfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-
	Base TX/ 10-Base-T), USB host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Gigabit ethernel
	interface, Ethernet interface (100 Base-TX / 10 Base-T), Near Field Communication (NFC)
VLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise
letwork Printing Protocols	LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPSec
letwork Management	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD, IEEE
Protocols	802.1X
PAPER / MEDIA HANDLING	
Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18
utomotio Desument Frank	cm, 20 x 25 cm, 16:9, Legal
Automatic Document Feeder	
Duplex	Yes
Standard Paper input	581 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray
Standard Paper input Dutput Tray Capacity	581 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray 250 Sheets
Output Tray Capacity	250 Sheets
Dutput Tray Capacity Paper Tray Capacity	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum
Dutput Tray Capacity Paper Tray Capacity Optional paper tray(s)	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet
Dutput Tray Capacity Paper Tray Capacity Optional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ²
Dutput Tray Capacity Paper Tray Capacity Optional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight Rear paper path (special	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3
Dutput Tray Capacity Paper Tray Capacity Optional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ²
Dutput Tray Capacity Paper Tray Capacity Optional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight Rear paper path (special	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ²
Dutput Tray Capacity Paper Tray Capacity Dptional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight Rear paper path (special nedia)	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ²
Dutput Tray Capacity Paper Tray Capacity Dptional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight Rear paper path (special nedia) SENERAL Energy Use	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ² Yes 17 W (Ready), 0.4 W (Power off), 39 W (standalone copying, ISO/IEC 24712 pattern), 2.4 W (sleep mode)
Dutput Tray Capacity Paper Tray Capacity Dptional paper tray(s) Maximum paper input Number of paper trays Compatible Paper Weight Rear paper path (special nedia)	250 Sheets 500 Sheets Standard, 1,581 Sheets maximum 2 x 500-Sheet paper tray, Cabinet 1,581 3 64 g/m ² - 256 g/m ² Yes 17 W (Ready), 0.4 W (Power off), 39 W (standalone copying, ISO/IEC 24712 pattern), 2.4 W

WorkForce Pro WF-6590DWF

WHAT'S IN THE BOX

- Quick Setup Guide
- Individual Ink Cartridges
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable

1. Determined in accordance with ISO/IEC 17629 showing the average of FPOT(sec) from the Office Category Test for default A4 simplex and duplex. For more information, please visit www.epson.eu/Inkjetsaving 4. Approx. page yield based on ISO/IEC 24711 tests in default mode and single sided continuous printing methodology, using the monochrome test pattern provided in ISO/IEC 19752. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield 5. Requires download from Epson website 6. Please visit www.epson.eu/epe for more information. Near Field Communication requires Epson iPrint app, available from Epson website for Android devices.



C13T908440	4,000 pages
C13T908340	4,000 pages
C13T907240	7,000 pages
C13T907140	10,000 pages
C13T908240	4,000 pages
C13T908140	5,000 pages
C13T907340	7,000 pages
C13T907440	7,000 pages
C13S210047	200,000 pages
C13S210046	200,000 pages
C13T671200	
C13S450075	
	C13T908340 C13T907240 C13T907140 C13T908240 C13T908140 C13T907340 C13T907340 C13S210047 C13S210046 C13T671200

INK YIELD DATA



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

OPTIONAL ACCESSORIES

• 500 Sheet Paper Cassette for WF-6000 Series C12C932011

LOGISTICS INFORMATION

sкu	C11CD49301BY
EAN code	8715946604442
Dimensions Single Carton	703 x 668 x 671 mm
Carton Weight	37 Kg
Multiple Order Quantity	1 Units
Pallet Size Euro	3 Units (1 x 3)



For more information please contact: Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate.

Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

