


JTouch Interactive Displays

Touchscreens that enhance collaboration
& captivate audiences



JTouch Interactive Displays

Whether you're in a classroom or huddle space, a conference room or auditorium, there's a JTouch interactive display solution to fit your needs and engage your audience.



Key Features

- Giant, high resolution touch display for a great price
- Incredibly sharp 4K resolution on 70-, 75-, and 85-inch models
- 40-, 57-, and 65-inch models offer bright, vivid 1080p HD resolution
- Run all your apps, even the older ones, with touch
- Accurate and responsive touch overlay with multi-touch capability

Casting

Add the LightCast Key to your JTouch to easily connect and share content from nearly any computer or mobile device. You'll make meetings, lessons and teamwork more efficient, engaging and easy.

LightCast technology works seamlessly with all your device's native protocols – use AirPlay (Mirroring mode) for Apple, and Miracast for Android or Windows.**

Use the InFocus LightCast Sender to cast using Chrome extension (works on Apple, Windows, or Chrome OS.)

Browse the Web

Access your favorite online content without a connected computer.

View Documents

View and present Office files, as well as most photo and video file formats, directly from the JTouch.

Create on an Interactive Whiteboard

Capture ideas on a giant, multi-screen canvas.

LightCast is included in select JTouch models, or unlock the power of wireless with a LightCast Key. Visit InFocus.com or contact your reseller for more information.

Full Touch Control

Display your PC, Mac, or Chromebook via HDMI or VGA & control it from the display via touch using a USB cable.

- Extend the reach of your computer's USB ports with easily-accessible USB ports on the display
- No calibration or special stylus means it's quick and easy to use with just your fingertips

High Brightness and HD Clarity

JTouch helps you get your message across and connect with your audience with incredible brightness, color and clarity. With 1080p and 4K resolution, your images, text and video will be seen and enjoyed even in large spaces with high ambient light.

Interactive Whiteboard and Annotation

Stop taking photos of your old dry-erase board & step up to a digital whiteboard. You'll never lose an idea & your meetings will be more efficient & productive.

Draw, Write, & Capture Notes

- Create a whiteboard on a multi-screen canvas, with room for free-form drawings, diagrams, images, and notes
- Write or draw with complete collection of digital pens, highlighters, shapes, lines and colors
- Use with fingers or a stylus
- View and annotate over PowerPoint, images, Word and more.
- Save and share your notes electronically

Built into INF4030/p, INF6502WB/p, INF6502WBAG/p, INF7002e, INF7002WB, INF7002WBAG, and INF7530eAG



The most education-friendly JTouch ever

JTouch Plus INF7530eAG

The totally customizable INF7530eAG features 4K resolution, Total Touch Control™, and the ability to natively run Android applications.

- Navigate a friendly, easy-for-anyone interface with Total Touch Control™ – no need for a remote
- Built-in whiteboard, browser, media player, and AirPlay capability
- Annotate over any application or video input
- Comment and draw over websites, documents, and more
- Brilliant 75-inch, 4K resolution screen with anti-glare
- Add any Android app
- Customize your whiteboard background
- Erase with three-finger touch



"Overall the JTouch is a jack of all interactive trades – it has the ability to draw in a rainbow of colors, display smooth video and let you connect without needing a new app."

—Brian Nadel, Computerworld

Choose Your JTouch

	40-inch	57-inch	65-inch	70-inch	75-inch	85-inch
Wireless	With LightCast Key	Optional with LiteShow 4	INF6502WB and INF6505 series with LightCast Key	With LightCast Key	✓	Optional with LiteShow 4
Digital Whiteboard	✓	With Android Whiteboard	INF6502WB series	✓	✓	With Android Whiteboard
Internet Browser	With LightCast Key	-	INF6502WB and INF6505 series with LightCast Key	With LightCast Key	✓	-
Document Viewer *	✓	-	INF6502WB series	✓	✓	-
4K Resolution	1080p	1080p	1080p	✓	✓	✓
Capacitive Touch	✓	Infrared	✓	✓	Infrared	Infrared
Anti-Glare	-	-	✓	✓	✓	✓

*Document viewer supports the following file types: pdf, doc, docx, xls, xlsx, ppt, pptx, avi, mkv, mpg, mpeg, mov, mp4, 3gp, rm, rmvb, jpg, jpeg, bmp, and png

	40-inch	57-inch	65-inch	70-inch	75-inch	85-inch
Small Team Area	✓	✓				
Huddle Spaces	✓	✓				
Offices	✓	✓	✓			
Meeting Rooms		✓	✓	✓	✓	
Large Meeting Rooms			✓	✓	✓	✓
Classrooms			✓	✓	✓	✓
Lecture Halls				✓	✓	✓




“I use my iPad to cast live camera feed of what students have created to the JTouch.

–Mrs. Joy, 5th Grade School Teacher

Accessories for JTouch Displays

Mobile Carts

- Move your JTouch around the room or around the building
- Integrated cable management with flexible covers to hide cables for a clean installation
- Smooth rolling casters for effortless positioning (2 locking casters)
- Height adjustment 4-6' (1.2-1.8 m)



Lift Case

Easily store, transport, and use a 40", 57", 65", or 70" flat screen display. Set up displays with only one or two people and be ready for use in less than 5 minutes.

- Full range of viewing heights
- Mounted multi-outlet surge protected power strip
- Shock-mounted lift mechanism
- Pivoting mount on 40" case enables portrait or landscape 40-inch display
- Integrated cable management system
- 2-piece clamshell locking lid
- Stable, yet portable with four heavy duty casters



LiteShow 4

Add the InFocus LiteShow 4 wireless presentation adapter to any base model display with a VGA or HDMI input to quickly and easily share data, audio, and HD video over a secure wireless connection

- Connect LiteShow 4 to your network to create a new, secure wireless access point
- On-board video decoding for fast, smooth playback
- Guests quickly connect with LiteShow USB drive
- Compatible with Windows 7, 8 & 10, Mac & iOS and Android mobile devices
- Connect and display multiple computers at the same time



LightCast Key

The LightCast Key unlocks your JTouch's wireless casting, web browsing, document viewing and annotation, and wired LAN connectivity. LightCast functionality is built into select interactive displays.


- Connect mobile devices and share content wirelessly
- Capture, save, and share notes on an interactive whiteboard
- Access the internet with a built-in web browser
- View and present documents, videos, and photos



Bring Your Display to Life with 4K

Boost the impact of your content and make every meeting or presentation more engaging, informative, and memorable with 4K models from InFocus.

- More pixels mean more detail and depth for amazingly life-like images
- Enhanced color rendering
- Presenters benefit from crisp, clear images up close
- Audiences enjoy vibrant, detailed images, even from the back of a conference room



Display	INF4030 INF4030p	INF5701 INF5701p	INF6500e INF6500eAG	INF6505 INF6505AG	INF6502WB INF6502WBp INF6502WBAG INF6502WBAGp	INF7002e	INF7002WB INF7002WBAG	INF7530eAG	INF8501
Size	40" Diagonal	57" Diagonal	65" Diagonal			70" Diagonal		75" Diagonal	85" Diagonal
Resolution	FULL HD 1920 × 1080					4K 3840 × 2160			
Anti-Glare	N/A		INF6500eAG	INF6505AG	INF6502WBAG INF6502WBAGp	INF7002WBAG		Yes	Yes and Gorilla Glass
Wireless Collaboration	LightCast ready***	LiteShow 4 ready		LightCast ready				LightCast embedded	LiteShow 4 ready
Mounting Orientation	Portrait / Landscape	Landscape							
Technology	LED Edge-Lit LCD	LED Edge-Lit LCD Direct WLED Backlight			Direct WLED Backlight				LED Edge-Lit LCD
Pixel Pitch	0.45mm	0.67mm	0.40mm		0.744mm	0.40mm		0.429mm	0.46mm
Response Time	8.5ms	9.5ms	8ms		6.5ms	6ms		8ms	6ms
Contrast Ratio	5,000:1		4,000:1		5,000:1		1200:1		3,000:1
Brightness	300cd/m ²	370cd/m ²	300cd/m ²		350cd/m ²		450cd/m ²		500cd/m ²
Input Connections	HDMI × 4, VGA, component, composite, 3.5mm line-in audio (mono), RCA stereo audio, RS232, USB-B for touchscreen control, USB-A × 2 on panel, USB-A × 2 on bottom for embedded software	HDMI × 2, VGA, RS232, RCA stereo audio, 3.5mm line-in audio (mono), USB-B for touchscreen control	HDMI × 5, USB x 2 for touchscreen control (USB-A on front, USB-B on back), USB-A × 2 hub on front, USB-A for PC on front (reserved for future use), VGA, 3.5mm line-in audio (mono), component video, composite, RS232	HDMI × 5, USB × 2 for USB Port access (USB-A on front, USB-B on back), USB-A × 2 hub on front, USB-A for PC on front (reserved for future use), VGA, 3.5mm line-in audio (mono), component video, composite video, RS232	HDMI × 4, VGA (HD15 VESA), component, RS232, 3.5mm line-in audio (mono), RCA stereo audio, 3.5mm microphone, USB-B for touchscreen control, USB-A x 4 on panel, USB-A × 2 on bottom for embedded software	DisplayPort 1.2, HDMI 2.0 × 2, HDMI 1.4, VGA, component, 3.5mm line-in audio (mono), RCA stereo, RS232, USB-B for touchscreen control, USB-A × 4 on panel, USB-A × 2 on bottom for embedded software		HDMI × 5, VGA, PC Audio In (stereo, VGA Audio source), component video, composite video, 1/8" Microphone (Mono linked to OPS), RS232, USB 2.0 × 2, USB 3.0 × 2, USB-B × 4 for touchscreen control (linked to HDMI), OPS PC USB × 2, RCA Audio (L/R, link to Component and Composite Video), Media USB (Android), Touch USB (Front tied to front HDMI)	DisplayPort 1.2, HDMI 2.0 × 2(Rear), HDMI 1.4, VGA, component, 3.5mm line-in audio (mono), RCA stereo audio, RS232 Serial, USB 3.0 Type-A x4, USB 3.0 Type-B
Output Connections	RCA audio stereo (L/R) out	RCA audio stereo (L/R) out, 3.5mm Stereo Audio							
Touch Technology	PCAP	IR	PCAP					IR	
Touch Points	10	5	10						
Speakers	10W × 2								
Mount	Vesa standard 200 × 200mm M8 screws	Vesa standard 400 × 400mm M8 screws						Vesa 400 × 600mm M8 screws	
Accessories Included	Power cord, VGA & USB cable, tray, stylus, and documentation	Power cord, VGA cable, USB cable, remote control, and documentation	VGA cable, USB cable, power cord, remote, quick setup guide	HDMI cable, power cord, remote, quick setup guide, keyboard and mouse	Power cord, VGA cable, USB cable, remote control, and documentation			Power cord, USB cable, HDMI cable, stylus, remote control, and documentation	Power cord, VGA cable, USB cable, remote control, and documentation
Product Weight	44lbs / 20kg	124lbs / 56kg	110.2 lbs / 50 kg		117.5lbs / 53.5kg	108lbs / 49kg		139lbs / 63Kg	223.8lbs / 101.5kg
Product Dimensions (H × W × D)	21.8 × 38.3 × 4.5in / 533 × 974 × 113mm	33.6 × 54.5 × 3.5 / 853 × 1384 × 89mm	38.3 × 59.9 × 3.3in / 972 × 1521 × 83mm		32.3 × 59.9 × 3.3in / 895 × 1520.5 × 83.1mm	37.9 × 64.1 × 4.2 in / 963.3 × 1629.8 × 106.6 mm		59.4 × 4.8 × 34.9in / 1510 × 122 × 886mm	46.7 × 78.3 × 4.4 in / 1186 × 1988 × 112.1 mm
Shipping Weight	56.4lbs / 25.6kg	153lbs / 69kg	136.7lbs / 62 kg		148.4lbs / 67.3kg	136.7lbs / 62 kg		177lbs / 80kg	264.6lbs / 120kg
Shipping Dimensions (H × W × D)	28.1 × 41.9 × 7.9in / 715 × 1063 × 200mm	42.5 × 63.5 × 10in / 1080 × 1613 × 254mm	44.9 × 66.4 × 8.4in / 1141 × 1687 × 213mm		44 × 69 × 10.6in / 1128 × 1752 × 270mm	46.5 × 73.2 × 10.2in / 1180 × 1860 × 260mm		69.5 × 12.6 × 45.9in / 1765 × 320 × 1165mm	56.2 × 88.1 × 12.2 in / 1427 × 2239 × 311 mm
Warranty	2 Years								

*Product specifications, terms, and offerings are subject to change at any time without notice.

**Check with your manufacturer for details

***Wireless casting features of LightCast enabled when LightCast Key is inserted into any USB port.

Additional Display Specifications

Refresh Rate: 120 Hz

Viewing Angle: 176°

Computer Touch Compatibility (via USB): PC, Mac, Chromebook

Power: AC 100 to 240V, 50/60 Hz

Operating Conditions: 32° to 104° F at 0 to 10K feet / 0° to 40° at 0 to 3,048 m

Noise: <40dBA at 77 F / 25 C

Accessories

Wall Mount for 57-75 Inch Display (INF-WALLMNT2)

Mobile Carts for 57-75 Inch Display (INF-MOBCART, INF-MOBCARTPRO-B, INF-MOBCARTPRO-S)

Wall Mount for 85-Inch Display (INF-WALLMNT3)

Mobile Cart for 85-Inch Display (INF-MCART-PL)

Deluxe Mobile Cart with PTZ Mount and Accessory Shelf (INA-MCARTDX)

Lift Assist Mount for 57-75 Inch Display (INA-MNTBB70)

Floor Support for Lift Assist Wall Mount (INA-SUPPORTBB)

Mobile Cart for Lift Assist Mount (INA-CARTBB)

VESA Interface Bracket for Lift Assist Mount (INA-VESABB)

Floor Stand for 40-Inch DigiEasel (INA-STNDSM)

LiteShow 4 (INLITESHOW4)

LightCast Key (INA-LCKEY2, INA-LCKEY3 - selection is location dependent)

Touchscreen Stylus (INA-STYLUS)

Android Whiteboard Module (INA-AWB)

BigNote Whiteboard Software (INS-BIGNOTE)

Extended Warranties: 40-Inch (EPW-40JT1, EPW-40JT2, EPW-40JT3) / 57-Inch (EPW-57JT1, EPW-57JT2, EPW-57JT3) / 65-Inch (EPW-65JT1, EPW-65JT2, EPW-65JT3, EPW-65SV1, EPW-65SV2, EPW-65SV3) / 70-Inch (EPW-70JT1, EPW-70JT2, EPW-70JT3) / 75-inch (EPW-75JT1, EPW-75JT2, EPW-75JT3) / 85-inch (EPW-85JT1, EPW-85JT2, EPW-85JT3)

