

3 ft Mini DisplayPort™ to DVI Active Adapter Converter Cable – mDP to DVI 2560x1600 – White

StarTech ID: MDP2DVIMM3WS



The MDP2DVIMM3WS 3ft active Mini DisplayPort to DVI adapter cable lets you directly connect your Mini DP video source (Laptop, Macbook®, Ultrabook™ etc.) directly to a nearby DVI monitor or projector, saving the expense of additional adapters while eliminating the clutter of excess cable. The converter features a stylish white design, that is well-suited for connecting Mac® computers.

For guaranteed compatibility with virtually any Mini DisplayPort output the active Mini DP to DVI adapter supports multimode (DP++) as well as single-mode DisplayPort signals. Unlike passive adapters, this ensures the MDP2DVIMM3WS can be used with graphics cards that are not capable of outputting multimode DP++ signals, such as ATI® Eyefinity cards.

Compatible with Intel® Thunderbolt™, when connected directly to a supporting DisplayPort over Thunderbolt™ I/O port, the adapter supports resolutions up to 2560x1600.

The MDP2DVIMM3WS is backed by a 2-year StarTech.com warranty and free lifetime technical support.

Applications

- Use with single-mode Mini DisplayPort video outputs that are not capable of outputting multimode DP++ signals, such as AT® Eyefinity video cards
- Connect your DVI display device (monitor, projector) directly to a Mini DisplayPort output device
- Ideal for using your DVI monitor as a secondary display



Features

- Active Mini DisplayPort to DVI conversion
- 1x Male DisplayPort connector, 1x Male DVI connector
- Compatible with Intel® Thunderbolt™ devices that are capable of outputting a DisplayPort signal
- Supports resolutions up to 2560x1600 and HDTV resolutions up to 1080p
- Plug-and-play Installation

Technical Specifications

Warranty 2 Years

Adapter Style Cable Adapter

Audio No

Chipset ID PS171A
Converter Type Active

Connector A 1 - Mini-DisplayPort (20 pin) Male

Connector B 1 - DVI-D (25 pin) Male

Maximum Cable Length 3 ft [0.9 m]

Maximum Digital Resolutions 2560x1600 (Dual link)

Supported Resolutions 2560x1600

1920x1200 1920x1080

Wide Screen Supported Yes

Cable Length 3 ft [0.9 m]
Color White

Product Height 0.6 in [16 mm]

Product Length 36.3 in [922 mm]

Product Weight 2.7 oz [76 g]

Product Width 1.6 in [40 mm]
Humidity 40%-85%RH

Operating Temperature 0°C to 60°C (32°F to 140°F)
Storage Temperature -10°C to 70°C (14°F to 158°F)

Shipping (Package) Weight 3 oz [84 g]

Included in Package 1 - Active DisplayPort to DVI Adapter





Certifications, Reports and Compatibility





