

PH-GTX1050-3G

Incredible Performance with ASUS Design!!

ASUS Exclusive Innovations

Dual-ball bearing fan

2X longer lifespan

Without the problem of oil drying common in sleeve-bearing fans, the dual-ball bearing fan lasts 2X longer. With reduced friction, it also runs smoother, further improving card lifespan and cooling efficiency.



SET DISCOURSE DI

AUTO-EXTREME TECHNOLOGY with Super Alloy Power II

Premium Aerospace-grade Quality and Reliability

ASUS graphics cards are produced using AUTO-EXTREME TECHNOLOGY, an industry-first 100% automated production process, and feature aerospace-grade Super Alloy Power II components for unsurpassed quality and reliability.



GPU Tweak II with XSplite Gamecaster

Tweak Till your Heart's Content

With an intuitive new UI, GPU Tweak II makes overclocking easier than ever, and features Game Booster to maximize graphics performance and XSplit Gamecaster to stream or record your gameplay.





ASUS Features



GDDR5 ● Gigantic 3GB GDDR5 **Memory:**

On-board memory for the best gaming experience & the best resolution

Graphics GPU Features



● NVIDIA® GPU Boost 2.0

Technology for intelligent monitoring of clock speed, ensuring that the GPU runs at its peak and the game is at its highest frame rate possible. It offers new levels of customization, including GPU temperature target, overclocking, and unlocked voltage.



power needed

• Unplugged:

Unplugged benefits graphics only motherboard card to upgrade using only motherboard power.



■ NVIDIA® Adaptive V-Sync :

NVIDIA Adaptive Vertical Sync adjusts V-Sync to current frame rates for maximum playability



● The Gamers Private **Network: wtfast**


A six-month wtfast premium license* — a USD\$53.95 value — to let you enjoy online gaming that's free from lag, latency and lost packets



■ NVIDIA® PhysX® ready:

Dynamic visual effects like blazing explosions, reactive debris, realistic water, and lifelike characters.

I/O Specifications





● NVIDIA® 3D Vision™ **Surround Ready:**

Bring games to life with NVIDIA® Surround[™] multi-monitor gaming on a single card

● PCIE 3.0:

Delivers double the bandwidth per lane of PCIe Gen 2 for faster GPU - CPU communication



Hardware Specification

Model	PH-GTX1050-3G
Graphics Engine	NVIDIA® GeForce® GTX1050
Bus Standard	PCI Express® 3.0
OpenGL	OpenGL® 4.5
Video Memory	3GB GDDR5
GPU boost Clock	1518 MHz
GPU base Clock	1392 MHz
CUDA cores	768
Memory Clock	7008 MHz
Memory Interface	96 bit
Digital MAX Resolution	7680×4320
DVI Output	1x Native DVI-D
HDMI Output	1x Native HDMI 2.0
HDCP compliant	YES
DisplayPort	1x Native DisplayPort 1.4
Power connectors	No
Software Bundled	ASUS GPU Tweak II & Driver
Dimension	The card size is 19.2*11.1*3.7 cm
Dilliension	The card size is 7.6*4.4*1.5 inches
Note	To have the best cooling performance, ASUS
	PH-GTX1050-3G extends the fansink to 2 slots.
	Please double check you Chassis and Motherboard
	dimension prior to purchase to make sure it fits in
	your system!
	Note that the actual boost clock will vary
	depending on actual system conditions. For
	more information, please visit
	http://www.geforce.com/
	Specifications are subject to change without
	notice.
	PCB color and bundled software versions are
	change without notice.
	Brand and product names mentioned are
	trademarks of their respective company.



