

odel Name: A40-D1432LA	Part Number: PS	S483U-00E00C		UPC: 889661177609
Operating System ^{C1 2}		 4 cell/45 Wh L 	_ithium Ion battery(user replaceable)-PA5212U-1BF
• Windows 10 Pro		Toshiba Eas	svGuard ^{®14}	
Spanish		Protect & Fix		
•		 HALT Tested Design 		
Processor ³ and Graphics ⁴				t pressure Resistant Design
 Intel[®] Core[™] i5-7200U Processor 			Design Enhanceme	
o (3M Cache, up to 3.10 GHz), Base 2.5	5GHz	 Secure 		
 Intel[®] HD Graphics 620 			e Disable Bit	
Memory⁵		 Reinforced Security Cable Lock Slot Trusted Platform Module v2.0 		
• 8GB DDR4 2133MHz (max 16GB)			Platform Module v	/2.0
Storage ⁶		Connect	over-IP Ready Desi	an
500GB (7200 RPM) Serial ATA hard disk drive			s Communication (
_		Optimize		
Optical Drive ⁷		 FN Sho 	ortcut Keys	
DVD SuperMulti drive supporting 11 formats		 TOSHIBA eco Utility™ 		
 CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-R DL, DVD-RW, DVD+R, DVD+R DL, DVD+RW, DVD-RAM 		Software C1 ¹⁵ (may vary depending on OS)		
	FRVV, DVD-RAIVI	Software and		
Display ⁸			BA eco Utility™	
 14.0" diagonal widescreen TFT display 			BA HW Setup Utility	V
 1366 x 768 native resolution (HD) 		 TOSHIBA Service Station 		
 16:9 aspect ratio 		 DTS Studio Sound™ 		
○ LED backlit		 1 month 	h trial for new Micro	osoft [®] Office 365 customers ¹⁶
Sound		1 YEAR STAN		D WARRANTY ¹⁷
Built-in stereo speakers				arranty for obtaining service who
● DTS Studio Sound™			ide the United Stat	
Input Devices		5		
 Premium Spill-resistant Raised Tile Keyboard (black) 				
 LED Backlit 		 This product is RoHS¹⁹ compatible ENERGY STAR[®] Qualified 		
Accupoint pointing device		EPEAT Gold Rated		
 Click pad pointing device with multi-touch cor 	ntrol			
Communications		Service Upgrades		ed services such as SystemGua
 HD webcam with TruTalk[™] dual microphones 				to provide additional support to y
 Intel[®] Ethernet Connection I219-V (10/100/10) 				nd complete list of programs and
Intel [®] Dual Band Wireless-AC 8265				e visit <u>www.support.toshiba.com</u>
 Bluetooth⁹ 		1 - 5	,	· · · · · · · · · · · · · · · · · · ·
Expandability		Accessories		
Memory Card Reader		For additional and most updated accessories, please visit		
 Secure Digital, Secure Digital High Cap 	pacity, Mini SD Card, Micro	www.accessories.	<u>toshiba.com</u>	
SD Card, SDXC, Multi Media Card [sh	hared slot may require	Power		
adapter for use]		Part Number	Description	
Ports		PA5177U-1ACA	Toshiba 45W Glo	
• Video		PA5212U-1BRS	I osniba Primary	Li-Ion Battery Pack
◦ RGB		Expansion	Description	
○ HDMI [®]		Part Number	Description	d Port Replicator III, 120W
• Audio		PA5116U-2PRP PA3927U-1PRP		Universal USB Docking Station
 Microphone input/ Headphone output ((shared)	PA5232U-1ETB		4-port Hub HU600
• Data	- 1 Oh 11	Input Devices		
 3 USB 3.0¹⁰ ports-1 with USB Sleep ar 	na Charge	Part Number	Description	
 RJ-45 LAN port Docking Connector 		PA5226U-1ETB		Keyboard & Mouse Combo
Security		PA5236U-1ETB	Toshiba USB Ke	yboard with 10-key
 Security Fingerprint reader 		PA5224U-1ETB	Toshiba USB mo	
 Slot for security lock 		PA5154U-1ETB	Toshiba Optical I	
•		PA5155U-1ETB		optical Mouse W30
Physical Description		PA5211U-1ETB		h Optical Mouse B35
		Carrying Case	9	
Graphite Black Metallic		Part Number	Description	
Graphite Black MetallicDimensions (W x D x H):			Description	
 Graphite Black Metallic Dimensions (W x D x H): 13.4" x 9.6" x 0.94" 		PA1567U-1SS4	Toshiba Neoprer	
 Graphite Black Metallic Dimensions (W x D x H): 13.4" x 9.6" x 0.94" 340mm x 244mm x 23.8mm 	a upon configuration 12	PA1567U-1SS4 PA1455U-1SN4	Toshiba Neoprer Toshiba 14.1" Ne	eoprene Case
 Graphite Black Metallic Dimensions (W x D x H): 13.4" x 9.6" x 0.94" 	ng upon configuration ¹²	PA1567U-1SS4	Toshiba Neoprer Toshiba 14.1" Ne	eoprene Case oy 2 Carrying Case

© Copyright 2017 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. TECRA A40-D1432LA

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.support.toshiba.com

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618

ToshibaDirect website: <u>http://www.toshibadirect.com</u> TAIS website for resellers: <u>http://sell.toshiba.com</u> TAIS PC Support website: <u>http://support.toshiba.com</u>

Tecra and EasyGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

^{C1}64-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ <u>Product Series Legal Footnote</u>. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

² Operating System.

5. 6.

7

8.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

³ Processor (Central Processing Unit). Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- 1. use of certain external peripheral products
- use of battery power instead of AC power
 use of certain multimedia, computer generated of
- use of certain multimedia, computer generated graphics or video applications
- 4. use of standard telephone lines or low speed network connections
 - use of complex modeling software, such as high end computer aided design applications
 - use of several applications or functionalities simultaneously
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
 - use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are
- approximate and may vary depending on the specific computer model please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ Graphics (Graphics Processing Unit). GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁵ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁶ Storage Drive

<u>Computer (Internal) HDD Capacity.</u> One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

Solid State Drive (SSD) Capacity.

<u>Computer (Internal) SSD Capacity</u>. One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁷ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁸ <u>Display</u>. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁹ <u>Wireless</u> May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported.

¹⁰ USB 3.0. 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors.

¹¹ <u>USB Sleep & Charge</u>. The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

¹² Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹³ Battery Life Rating.

- Measured by MobileMark® 2014 for models preinstalled with Microsoft® Windows 10.
 - Benchmark rules for Mobile Mark[™] 2014: Wireless connectivity = On, Screen brightness = 150 nits or greater, except when screen dimming is allowed. Predefined updated workloads. Predefined updated workloads.

Details of MobileMark® 2014 testing protocols are available at www.bapco.com MobileMark is a U.S. Registered trademark of the Business Applications Performance Corporation.

Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user._Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings.

After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

¹⁴ EasyGuard. Toshiba EasyGuard[™] technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See www.easyguard.toshiba.com for detailed information.

¹⁵ Software. Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

¹⁶ Microsoft[®] Officetrial Buy Microsoft[®] Office to use full-featured Office software on this PC.

The version of Microsoft[®] Office included in this computer is only available in and can only be activated within the region in which you purchased it.

Certain Microsoft[®] software products included with this computer may use technological measures for copy protection. In such case, you will not be able to use the Product if you do not activate it with Microsoft. Activation may be completed by Internet or telephone (toll charges may apply). Product Activation procedures and Microsoft's privacy policy will be detailed during initial launch of the Product, or upon certain reinstallations of the software products or reconfiguration of the computer.

¹⁷ Warranty: The terms and conditions of Toshiba's standard limited warranty are available at <u>www.warranty.toshiba.com</u>.

¹⁸ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

	Operating	Non-operating
Temperature	5° to 35° C	-20° to 65° C
Thermal Gradient	15° C per hour (max)	20° C per hour
Relative Humidity (non-condensing)	20% to 80%	10% to 90%
Altitude (relative to sea level)	-60 to 3,000 meters	-60 to 10,000 meters
Shock	10G	60G
Vibration	0.5G, 0.25G w/ODD	1.0G

¹⁹ RoHS. This computer is compatible with European Union Directive 2011/65/EU, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its computer component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.