

Spec Sheet

### Triple-Video Docking Station for Laptops - USB 3.0

StarTech ID: USB3DOCKH2DP



This triple-video docking station for laptops merges cutting-edge technology and high-quality hardware with innovative design elements. It's one of the first universal laptop docking stations to support three external displays.

When coupled with your laptop display, the docking station makes it easy to create a high-performance, high-resolution workstation with four displays in total, including one 4K DisplayPort<sup>™</sup> display.



With its expanded display presence, this specialty docking station is ideal for a wide range of applications. It offers a fast and easy way to maximize your laptop's workable screen space, which is perfect for graphic and web designers, animators, financial analysts and more.

### A four-display workstation helps you get more done

The triple-video docking station uniquely integrates two video chipsets, making it possible to connect one HDMI® and two DisplayPort monitors to your laptop. With four total displays, you can manage several programs



at once and avoid the nuisance of minimizing or rearranging windows. Plus it delivers 4K cinema resolution to the first DisplayPort monitor.

This versatile docking station boosts your workflow with minimal impact on your budget, and it connects to your laptop or Windows based tablet through just one USB 3.0 (also known as USB 3.1 Gen 1 - 5Gbps) cable.

# 4K Ultra HD delivers ultimate display potential

Why sacrifice image quality for display quantity? This top-of-the-line docking station offers the best of both worlds. It features three video ports, including a DisplayPort connection that supports 4K x 2K (3840 x 2160p - 30Hz) Ultra HD resolution.

The docking station offers an enhanced method of upgrading the display capabilities of your computer. While many laptop docks offer two video outputs, they often don't support three external displays, or Ultra High Definition.

The full-featured dock delivers crystal-clear image quality without sacrificing the total number of external monitor connections, which is ideal for highly detailed and graphically intense applications.

# Plenty of ports gives you everything you need

This triple-video docking station lets you connect up to 12 peripherals, to transform your laptop into a powerful, full-sized workstation.

The dock also makes it easy to quickly charge your mobile devices, using the always-on fast-charge port. Plus, with five USB 3.0 ports, a headset jack, separate 3.5mm audio and microphone ports, as well as an RJ45 Gigabit Ethernet port, you have all the connections you need with no complications or extra costs.

Unlike some docks, this easy-to-use docking station offers seamless, error-free driver installation that will have you up and running fast.

The USB3DOCKH2DP is backed by a StarTech.com 2-year warranty and free lifetime technical support.

### Maximum Supported Resolutions\*

Video Output Configuration	Max DisplayPort Resolution (Video 1)	Max HDMI Resolution (Video 2)	Max DisplayPort Resolution (Video 3)
DisplayPort 1 (Single Display)	3840 x 2160p (4K)	N/A	N/A

www.startech.com 1 800 265 1844



Hard-to-find made easy®		Spec Sheet		
DisplayPort 2 (Single Display)	N/A	N/A	2560 x 1600p	
HDMI (Single Display)	N/A	2560 x 1440p	N/A	
DisplayPort 1 and HDMI (Two Displays)	3840 x 2160p (4K)	2560 x 1440p	N/A	
DisplayPort 2 and HDMI (Two Displays)	N/A	2048 x 1152p	2048 x 1152p	
DisplayPort 1 and DisplayPort 2 (Two Displays)	3840 x 2160p (4K)	N/A	2560 x 1600p	
DisplayPort 1, DisplayPor 2, HDMI (Three Displays)	t 3840 x 2160p (4K)	2048 x 1152p	2048 x 1152p	

\*Lower resolutions are also supported. For example, if the max is 3840 x 2160p (4K), it also supports 2560 x 1600p and 2560 x 1440p.

### Applications

- Ideal for professionals who work with highly detailed graphics, including graphic and web designers, animators, or engineers (CAD)
- Scale your desktop across four displays perfect for government, finance, marketing and sales environments
- Expand the connectivity of your laptop compatible with Ultrabook, MacBook, Microsoft® Surface<sup>™</sup> Pro 3, Lenovo® Yoga, and other Windows based tablets
- Take full advantage of three monitors and Ultra HD technology, even if your laptop video card doesn't natively support it

# StarTechcom Hard-to-find made easy\*

### Features

- Improve your productivity, dual-chipsets support three monitors, including a 4K display 2x DisplayPort, 1x HDMI
- Upgrade your workstation to 4K Ultra HD (3840 x 2160p), one DisplayPort connection supports 4K resolution
- Connect up to 12 peripherals, including five USB 3.0 devices, USB fast-charge and sync, and dual audio
- Always-on USB fast-charge port charges devices without a laptop connection and supports USB Battery Charging Specification 1.2
- Dual-audio input and output side-panel 3.5mm 4-Position TRRS headset port, plus rear-panel headset and microphone ports
- Gigabit Ethernet RJ45 Port with Wake-on-LAN (WOL) support
- Integrated security lock
- Supports DisplayPort 1.2
- Small and flat footprint provides an elevated typing surface when tucked under your laptop
- Includes a USB 3.0 host cable

www.startech.com
1 800 265 1844



Hard-to-find made easy®

Spec Sheet

### **Technical Specifications**

Warranty2 Years4K SupportYesBus TypeUSB 3.0Chipset IDDisplayLink - DL-5910 (Display, LAN, Audio) VLI - VLB12 (USB 3.0 w/ Charge)Fast-Charge Support YesIndustry StandardsUSB Battery Charging Specification Rev. 1.2 IEEE 802.3. IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks5 Gbps (USB 3.0)Full Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1440 (HDMI - Single Display)Z560x1440 (HDMI - Single Display)Z60x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - S mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - S mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 -	Morropty	2 Years
Bus TypeUSB 3.0Chipset IDDisplayLink - DL-5910 (Display, LAN, Audio) VL1 - VL812 (USB 3.0 w/ Charge)Fast-Charge SupportVesIndustry StandardsUSB Battery Charging Specification Rev. 1.2 IEEE 802.3.0, IEEE 802.3.0b USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks10/100/1000 MbpsFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Z660x1600 (DisplayPort Video 3 - Single Display)Z660x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - HDMI (19 pin; SuperSpeed) FemaleConnector Type(s)1 - HJA5 FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - JSB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - JSB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - SuperSpeed) FemaleConnector Type(s)1 - SuperSpeed) FemaleConnector Type(s)1 - SuperSpeed) FemaleConnector Type(s) <td< td=""><td>•</td><td></td></td<>	•	
Chipset IDDisplayLink - DL-5910 (Display, LAN, Audio) VLI - VL812 (USB 3.0 w/ Charge)Fast-Charge Support YesIndustry StandardsUSB Battery Charging Specification Rev. 1.2 IEEE 802.3 IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworksFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1400 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - S5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - S5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - S5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - S5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 -	••	
VLI - VL812 (USB 3.0 w/ Charge)Fast-Charge Support YesIndustry StandardsUSB Battery Charging Specification Rev. 1.2IEEE 802.3, IEEE 802.3u, IEEE 802.3abUSB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks5 Gbps (USB 3.0)Full Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - S.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConn		
Fast-Charge Support YesIndustry StandardsUSB Battery Charging Specification Rev. 1.2 IEEE 802.3, IEEE 802.3u, IEEE 802.3ub USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks10/100/1000 MbpsFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - St.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - St.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - St.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - St.5 mm Mini-Jack (3 Position) FemaleConnector Type(	Onpoet ID	
IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks5 Gbps (USB 3.0)Full Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1640 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Sis mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - SB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - SB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - SB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - SB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - SEB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot F	Fast-Charge Suppor	rt Yes
USB 3.0 - Backward compatible with USB 2.0/1.1Auto MDIXYesCompatible10/100/1000 MbpsNetworks10/100/1000 MbpsFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital8840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Sing Mini-Jack (4 Position) FemaleConnector Type(s)1 - Sing Mini-Jack (4 Position) FemaleConnector Type(s)1 - Sing Mini-Jack (3 Position) FemaleConnector Type(s)<	Industry Standards	USB Battery Charging Specification Rev. 1.2
Auto MDIXYesCompatible10/100/1000 MbpsNetworks10/100/1000 MbpsFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)Resolutions2660x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1600 (DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - S.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConn		
Compatible Networks10/100/1000 MbpsFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet, Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(S)2 - DisplayPort (20 pin) FemaleConnector Type(S)1 - HDMI (19 pin) FemaleConnector Type(S)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(S)1 - SemaleConnector Type(S)1 - Sm Mini-Jack (4 Position) FemaleConnector Type(S)1 - JSB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(S)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector		
NetworksFull Duplex SupportYesMaximum Data5 Gbps (USB 3.0)Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleConnector Type(s)1 - Security Lo		
Full Duplex SupportYesMaximum Data Transfer Rate5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display) 2560x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - S.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot		10/100/1000 Mbps
Maximum Data Transfer Rate5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display) 2560x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleConnector Type(s)1 - Security Lock Slot FemaleConnector Type(s)1 - Security Lock Slot FemaleConnector Type(s)1 - Security Loc		Yes
Transfer Rate2 Gbps (Ethernet; Full-Duplex)Maximum Digital Resolutions3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - Singm Mini-Jack (4 Position) FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot Female<		
Resolutions2560x1600 (DisplayPort Video 3 - Single Display)2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	Transfer Rate	
2560x1600 (DisplayPort Video 3 - Single Display)2560x1440 (HDMI - Single Display)Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	5	3840x2160 @ 30Hz / 2560x1600 / 2560x1440 (DisplayPort Video 1 - Single Display)
Please see the manual for supported resolutions when using different combinations of displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		2560x1600 (DisplayPort Video 3 - Single Display)
displays (up to three external displays)Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		2560x1440 (HDMI - Single Display)
Type and RateUSB 3.0 - 5 Gbit/sUASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		
UASP SupportYesConnector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	Turne and Date	
Connector Type(s)2 - DisplayPort (20 pin) FemaleConnector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		
Connector Type(s)1 - HDMI (19 pin) FemaleConnector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	••	
Connector Type(s)1 - USB 3.0 A (Fast-Charge; 9 pin; SuperSpeed) FemaleConnector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	••••	
Connector Type(s)4 - USB 3.0 A (9 pin; SuperSpeed) FemaleConnector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		
Connector Type(s)1 - RJ-45 FemaleConnector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	••••	
Connector Type(s)1 - 3.5 mm Mini-Jack (4 Position) FemaleConnector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	<b>51</b> ( <i>i</i>	
Connector Type(s)2 - 3.5 mm Mini-Jack (3 Position) FemaleConnector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	<b>21</b> ( )	
Connector Type(s)1 - USB 3.0 B (9 pin; SuperSpeed) FemaleConnector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)		
Connector Type(s)1 - Security Lock Slot FemaleOS CompatibilityWindows® 8 / 8.1 (32/64-bit), 7 (32/64)	••••	
		1 - Security Lock Slot Female
Mac OS® 10.8 and later (tested up to 10.10)	OS Compatibility	
		Mac OS® 10.8 and later (tested up to 10.10)

# StarTechcom

Hard-to-find made easy®

Spec Sheet

Note	4K resolution is supported on the DisplayPort Video 1 port only. A 4K-capable DisplayPort display is required to achieve 4Kx2K resolutions
Note	If connected to a USB 2.0 host port, or if using a USB 2.0 host connection cable, performance may be limited (USB 3.0 host cable included)
Note	USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5 Gbps
System and Cable Requirements	USB-enabled computer with an available USB 3.0 port
Color	Black & Silver
Enclosure Type	Plastic
LED Indicators	1 - Link (Green)
LED Indicators	1 - Activity (Amber)
Center Tip Polarity	Positive
Input Current	1.5 A
Input Voltage	100 ~ 240 AC
Output Current	6.5 A
Output Voltage	5 DC
Power Consumption	32.5 W Max
Power Source	AC Adapter Included
Humidity	0~90% RH
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-10°C to 80°C (14°F to 176°F)
Shipping (Package) Weight	0 oz [1 g]
Included in Package	1 - triple-video laptop docking station
Included in Package	1 - USB 3.0 host cable
Included in Package	1 - universal power adapter (NA/EU/UK/AU)
Included in Package	1 - instruction manual



# Hard-to-find made easy®

**Certifications, Reports and Compatibility** 







Spec Sheet

www.startech.com 1 800 265 1844